

**Fabrication Supplies**

• Casting .....	552-566
• Alginate .....	567-568
• Surforms, Sand paper .....	568-569
• Stockinette .....	570-578
• PVA Bags, Dacron .....	578-580
• Fiberglass .....	580-581
• Carbon .....	581-586
• Carbon Plates .....	586
• Resin, Foam and Hardener .....	587-595
• Foam Blanks .....	595
• Keasy Cones, Duplicone .....	595-596
• Fillers and Pigment .....	596-599
• Lubricants .....	600
• Adhesives .....	601-607
• Pens/Pencils .....	608
• Tongue Depressors, Cups .....	608
• Thread, String and Tape .....	609
• Gloves .....	610-611
• Dacron Tape .....	612
• Webbing, Felt .....	612-613
• Leg Bags, Boxes .....	614
• Leather .....	614-616
• Gel Material .....	617-618
• Foam Materials .....	619-621
• Microcell Puff .....	622-623
• Poron .....	624
• Plastazote .....	625
• AliPlast, Pe-Lite .....	626-628
• Soling Material, Velcrepe .....	628-629
• Crepe .....	629-630
• Cork .....	630-631
• Plastics .....	632-641
• Eyelets, Rivets and Screws .....	642-646
• Buckles, Slides and Loops .....	646-649
• Chafes .....	650-651
• Ratcheting Buckles .....	652-653
• Velcro Loops .....	653-654
• Velcro .....	654-656

**Foot Casting Blocks**

- Made of Durr-Plex
- Assists in matching plantar surface of orthosis to the shoe interface
- Inter-nesting for storage

Description	Product No.
Set of three, 1 of each size	<b>220251</b>
Small, <sup>3</sup> / <sub>16</sub> " heel-sole differential	<b>220244</b>
Medium, <sup>5</sup> / <sub>16</sub> " heel-sole differential	<b>220236</b>
Large, <sup>7</sup> / <sub>8</sub> " heel-sole differential	<b>220228</b>



**Cling Film**

- Premium quality; .003" thickness
- 12" x 2000' in cutter box for easy tear off at desired length

Product No.	<b>7202BW</b>
-------------	---------------



**Isolation Rubber (not pictured)**


- Allows fabrication of socket to begin while plaster is wet
- May also be used when making plaster casts of unhealed residual limbs
- 10 per pack

Description	Size	Product No.
Medium	85 x 280 mm	<b>615100300</b>
Large	110 x 310 mm	<b>615100200</b>

Note: A PVA bag should be used over the isolation rubber after it is placed over the cast

**Latex Casting Balloons**

Description	Product No.
Small, 10/pack (8" x 2")	<b>199092</b>
Medium, 25/pack (3" x 8")	<b>199084</b>
Large, 25/pack (10" x 4")	<b>199076</b>



**Latex Cone Casting Balloons**

Description	Size	Product No.
Small	7 x 20	<b>940625</b>
Medium	9 x 21	<b>940626</b>
Large	12 x 22	<b>940627</b>



### Casting Cones

- Reduce casting and modification time
- No plaster mess or cutting to remove
- Consistent quality low-cost impressions
- More time and cost efficient than plaster
- Returns to original size/shape with re-heating
- Four BK sizes

Description	Product No.
Small	<b>CM108</b>
Medium	<b>CM109</b>
Large	<b>CM110</b>
X-Large	<b>CM111</b>




### Comfort Products Inc. - Comfort Casting Pants

- AK casting pants with two seam free open-end legs
- Can be used in conjunction with separate cast socks, or as a stand-alone sock by sewing end of leg
- Protects the modesty of patient during casting
- Non-ravel fabric allows for easy trimming
- Fine gauge knitted cotton
- One size fits most adults

Product No. **CSP**

Casting Pants Sizing Chart					
Body Length	Leg Length	Flat Size Body Width		Leg Size Flat Width	
		Minimum	Maximum	Minimum	Maximum
16"	16"	10"	22"	5"	10"

Measurements shown are approximate and may vary slightly



Fabrication  
Supplies

### Ultra-Fit Filler Socks

- Stretchable sock that conforms to irregular shapes
- 18" length
- Can be cut without running or unraveling
- Cotton and Lycra construction
- One size fits 90% of requirements for length and width
- 6 per package

Description	Product No.	
	1/2 Ply	1 Ply
Regular	<b>CUFL</b>	<b>CUFH</b>
with 3-S Hole	<b>CUFL3</b>	<b>CUFH3</b>



## Cast Socks

- Constructed from a combed natural cotton with a stretch stitched toe seam
- Available in BK or AK styles
- Lightweight (1 ply) or Heavyweight (2 ply)
- Lightweight is 24 per package; Heavyweight is 12 per package



BK Lightweight				
Length	Round Toe	Round Toe with 3S Hole	Pointed Toe	Pointed Toe with 3S Hole
20"	CSLR20	CSLR203	CSLP20	*CSLP203
24"	CSLR24	*CSLR243	CSLP24	*CSLP243
30"	CSLR30	*CSLR303	*CSLP30	*CSLP303
36"	CSLR36	*CSLR363	*CSLP36	*CSLP363

BK Heavyweight				
Length	Round Toe	Round Toe with 3S Hole	Pointed Toe	Pointed Toe with 3S Hole
20"	CSHR20	CSHR203	CSHP20	*CSHP203
24"	CSHR24	CSHR243	CSHP24	*CSHP243
30"	CSHR30	*CSHR303	*CSHP30	*CSHP303
36"	CSHR36	*CSHR363	*CSHP36	*CSHP363



AK Heavyweight				
Length	Round Toe	Round Toe with 3S Hole	Pointed Toe	Pointed Toe with 3S Hole
20"	CSHRA20	CSHRA203	CSHPA20	*CSHPA203
24"	CSHRA24	CSHRA243	CSHPA24	*CSHPA243

## Knit-Rite - Accucast™

- Smooth cotton/lycra casting socks provide 4-way stretch for light compression with high conformity and more accurate impressions
- 12 per pack


Size	Product No.
BK 2 <sup>3</sup> / <sub>4</sub> " x 24"	6SCST224
AK 6 <sup>1</sup> / <sub>4</sub> " x 24"	6SCSR624



### Cotton Casting Socks

- Flat tubular sock is knitted of a soft carded cotton yarn with seamed toe
- 12 per pack

Description	Size	Stretch	Product No.
BK Lightweight	3 1/2 x 24"	7-24"	<a href="#">6S7924LT</a>
BK Heavyweight	3 1/2 x 24"	7-20"	<a href="#">6S7924HV</a>
AK Lightweight	5 1/2 x 22"	11-28"	<a href="#">6S7918LT</a>
AK Heavyweight	6 x 22"	12-30"	<a href="#">6S7918HV</a>



### Casting Pants

- AK casting pants made from cotton rib knit tubular stockinette
- Split and seamed to form a body section with two open end legs
- Permits casting to the groin
- Protects the modesty of patient
- Over 150% stretch

Size Leg/Body	Length Leg/Body	Product No.
3x6	12x10	<a href="#">6SCPCT03</a>
4x8	12x17	<a href="#">6SCPCT04</a>
5x10	12x17	<a href="#">6SCPCT05</a>
6x12	12x17	<a href="#">6SCPCT06</a>



Fabrication  
Supplies

### Spacer Socks

- Quality 1 ply, light or heavy weight fitting socks feature smooth distal end and fabric
- Toe is rounded and reinforced for good fit and long wear
- The blended cotton polyester fabric is soft, comfortable and absorbent
- 6 per package

Weight	Fits Sizes	Length	Product No.
Narrow light	#B, #0	15" (38 cm)	<a href="#">6S-8035-LT</a>
Narrow heavy	#B, #0	15" (38 cm)	<a href="#">6S-8035-HV</a>
Medium light	#1, #2	18" (45 cm)	<a href="#">6S-8040-LT</a>
Medium heavy	#1, #2	18" (45 cm)	<a href="#">6S-8040-HV</a>
Wide light	#3, #4	18" (45 cm)	<a href="#">6S-8045-LT</a>
Wide heavy	#3, #4	18" (45 cm)	<a href="#">6S-8045-HV</a>
X-Wide heavy	#4, #5	24" (60 cm)	<a href="#">6S-8050-HV</a>
XX-Wide heavy	#5, #6	18" (45 cm)	<a href="#">6S-8055-HV</a>
XX-Wide heavy long	#5, #6	24" (60 cm)	<a href="#">6S-8060-HV</a>



**Hole-In-Toe Spacer Socks**

- Same as Spacer Socks but with reinforced hole
- 6 per package

Weight	Fits Sizes	Length	Product No.
Narrow heavy	#B, #0	15" (38 cm)	<b>6S-S035-HV</b>
Medium heavy	#1, #2	18" (45 cm)	<b>6S-S040-HV</b>
Wide heavy	#3, #4	18" (45 cm)	<b>6S-S045-HV</b>



**Stretch Spacer Sock**

- Same features as Spacer Socks with Lycra added for improved fitting qualities, ROM and reduced migration
- Smooth surface and intimate fit facilitate scanning and casting
- Smooth distal end with rounded reinforced toe
- Medium single ply thickness
- Elasticity allows comfortable fitting over 50% plus greater range than the non-elastic version
- 6 each per package

Description	Fits Size	Unstretched Length	Product No.	
			Regular	Hole-In-Toe
<b>Cotton/Lycra with Turn Down Cuff, Cotton/Lycra Toe</b>				
Narrow Short	#A, #B	12" (30 cm)	<b>6S-8S35-SH</b>	<b>6S-SS35-SH</b>
Medium Short	#0, #1	12" (30 cm)	<b>6S-8S40-SH</b>	<b>6S-SS40-SH</b>
Wide Short	#2, #3, #4	12" (30 cm)	<b>6S-8S45-WS</b>	<b>6S-SS45-WS</b>
<b>Cotton/Lycra with Nylon Toe, Straight Top</b>				
Narrow	#A, #B	12" (30 cm)	<b>6S-8S35-MD</b>	<b>6S-SS35-MD</b>
Medium	#0, #1	15" (38 cm)	<b>6S-8S40-MD</b>	<b>6S-SS40-MD</b>
Wide Short	#2, #3, #4	12" (30 cm)	<b>6S-8S45-SH</b>	<b>6S-SS45-SH</b>
Wide	#2, #3, #4	18" (45 cm)	<b>6S-8S45-MD</b>	<b>6S-SS45-MD</b>

**RX Textiles - SPS Cast Socks**

- 12 per package

Description	Product No.
Thin, Regular 27"	<b>2010501</b>
Heavy, Regular 27"	<b>2010101</b>



**SPS Nyserts**

- Closed Toe

Description	Qty. Per Pack	Product No.
AK	25	<b>247253</b>
AK	100	<b>247251</b>
BK	100	<b>247250</b>
BK	25	<b>247252</b>



**SPS Fitting Socks**

- 30% Polyester/70% Australian Wool
- 12 per package

Description	Product No.
One Ply	<b>2011201</b>
Heavy Fitting	<b>2011001</b>

**CADCAM Cast Socks**

- Sold individually

Description	Size	Product No.
50% cotton/50% tubigrip	Regular	<b>2011801</b>
50% cotton/50% tubigrip	Large	<b>2011901</b>



**NSNA Casting Sock**

- 100% Cotton
- Sold individually

Product No.	<b>2011401</b>
-------------	----------------

**EFS**

- Elastic Fitting Socks
- Sold individually
- 1 Ply

Description	Size	Product No.
BK	Small/Medium	<b>3001500</b>
AK	Large/X-Large	<b>3001600</b>



**Zens Hosiery Filler Socks**

- 1 Ply Weight
- 50% cotton/50% polyester blend with nylon reinforced toe
- 12 per package
- Round Toe

Size	Product No.	
	Without 3-S Hole	With 3-S Hole
3.5" x 19"	<b>1513-HV</b>	<b>WH-1513-HV</b>
4" x 12"	<b>1519-HV</b>	<b>O1519-HV</b>
5" x 12"	<b>1521-HV</b>	<b>O1521-HV</b>
5" x 15"	<b>1515-HV</b>	<b>O1515-HV</b>
5" x 19"	<b>1512-HV</b>	<b>O1512-HV</b>
6.5" x 24"	<b>1511-HV</b>	<b>O1511-HV</b>
9" x 15"	<b>1525-HV</b>	<b>WH-1525-HV</b>
9" x 23"	<b>1516-HV</b>	<b>O1516-HV</b>



Fabrication  
Supplies

**3M Medical - Scotchcast™ Soft Cast Casting Tape**

- Fiberglass casting tape; does not set to a completely rigid state
- Remains flexible and soft even when completely cured

Description	Color	Rolls/Box	Product No.
2" x 4 yds	White	10	<b>82102</b>
3" x 4 yds	White	10	<b>82103</b>
3" x 4 yds	Blue	10	<b>82103B</b>
3" x 4 yds	Purple	10	<b>82103U</b>
4" x 4 yds	White	10	<b>82104</b>
5" x 4 yds	White	10	<b>82105</b>



**Scotchcast™ Plus Soft Cast Casting Tape**

- Combines the benefits of synthetic tape with the handling ease of plaster
- Knitted fiberglass construction and the patented slippery resin ensures superb conformability, molding and lamination
- Durable, lightweight, white

Description	Rolls/Box	Product No.
2" x 4 yds	10	<b>82002</b>
3" x 4 yds	10	<b>82003</b>
4" x 4 yds	10	<b>82004</b>
5" x 4 yds	10	<b>82005</b>





### Synthetic Cast Padding

- Non-woven polyester padding that is porous, highly conformable, strong, yet easy to tear
- Suitable for use with all casting materials, plaster, and synthetic
- Sold in box quantity — 4 bags per box/80 rolls per box

Description	Color	Rolls/Bag	Product No.
2" x 4 yds	White	20	<b>CMW02</b>
3" x 4 yds	White	20	<b>CMW03</b>
4" x 4 yds	White	20	<b>CMW04</b>



### BSN Medical - Specialist® Plaster of Paris Bandages and Splints

- Uniformly coated and firmly adhered to the gauze
- High dry/wet plaster retention; plaster is applied to the cast and not wasted in the wrapper or dip bucket
- Time set: Extra fast 2-4 minutes; Fast 5-8 minutes
- Latex free

Description	Plaster Bandage Case Qty	Green Label	Blue Label
		X-Fast	Fast
2" x 3 yds	6 boxes/case	<b>7362</b>	<b>7372</b>
3" x 3 yds	6 boxes/case	<b>7363</b>	<b>7373</b>
4" x 5 yds	6 boxes/case	<b>7367</b>	<b>7374</b>
5" x 5 yds	4 boxes/case	<b>7369</b>	<b>7375</b>
6" x 5 yds	4 boxes/case	<b>7368</b>	<b>7376</b>
8" x 5 yds	2 boxes/case	<b>7370</b>	<b>7378*</b>

\*4 Boxes per case

Description	Plaster Splints Case Qty	Green Label	Blue Label
		X-Fast	Fast
3" x 15"	12 boxes/case	<b>7390</b>	<b>7393</b>
4" x 15"	12 boxes/case	<b>7391</b>	<b>7394</b>
5" x 30"	6 boxes/case	<b>7392</b>	<b>7395</b>



Fabrication  
Supplies

### Orthoflex® Elastic Plaster of Paris Bandages

- Elastic gauze allows excellent conformability for difficult contours and bony prominences without creating distortions due to inner surface ridges
- Set time: 5-8 minutes; 12 rolls per box
- Contains latex rubber

Description	Case Qty	Product No.
4" x 4 yds	6 boxes/case	<b>7324</b>
5" x 4 yds	4 boxes/case	<b>7325</b>



**Gypsona® S Plaster of Paris Bandages and Splints**

- Features a rich, creamy texture for a smoother, stronger cast
- Central plastic core prevents telescoping and improves the handling of the bandage
- Set Time: Extra fast: 2-4 minutes; Fast: 5-8 minutes
- Latex free



Plaster Bandage 12 rolls/box		
Description	X-Fast	Fast
2" x 3 yds	<b>30-7362</b>	<b>30-7372</b>
3" x 3 yds	<b>30-7363</b>	<b>30-7373</b>
4" x 5 yds	<b>30-7367</b>	<b>30-7374</b>
5" x 5 yds	<b>30-7369</b>	<b>30-7375</b>
6" x 5 yds	<b>30-7368</b>	<b>30-7376</b>
8" x 5 yds	<b>30-7370</b>	<b>30-7378</b>
Plaster Splint 50/box		
3" x 15"	<b>30-7390</b>	<b>30-7393</b>
4" x 15"	<b>30-7391</b>	<b>30-7394</b>
5" x 30"	<b>30-7392</b>	<b>30-7395</b>
5" x 45"	—	<b>30-7396</b>

Fabrication  
Supplies

**Gypsona® S Plaster Elastic Bandage**

- Improved elastic offers excellent molding characteristics
- Creamy texture for intimate moldability
- Set time: 5-8 minutes; 12 rolls per box
- Latex free

Description	Product No.
4" x 4 yds	<b>30-7324</b>
5" x 4 yds	<b>30-7325</b>



**Gypsona® HP Plaster of Paris Bandages**

- Traditional rich and creamy texture allows intimate molding and creates a smooth, appealing finished cast
- Interlocking leno weave greatly enhances stability
- Set time: 2-4 minutes; 12 rolls per box
- Latex free

Description	Product No.
4" x 5 yds	<b>30-3045</b>
6" x 5 yds	<b>30-3046</b>

### Gypsona® Endless Slab Dispenser Pack

- 5 ply dispenser containing creamy, extra-fast plaster which enables improved detailed impressions and a faster set up time
- Technique used allows for faster application and a shorter casting time; ideal for body jackets
- Latex free



Description	Product No.
4" x 65'	<b>87004913</b>
8" x 65'	<b>87004916</b>

### Delta-Lite® Conformable Fiberglass Cast Tape

- Prevents folds or creases when casting around body contours
- Provides unsurpassed conformability
- Finished casts are lightweight, strong, and resist breakdown
- Intended for rigid primary and secondary casting applications where conformability and patient fit is critical
- Set time: 3-5 minutes; 10 rolls per box
- Latex free



Fabrication  
Supplies

Description	Product No.
2" x 4 yds	<b>6822A</b>
3" x 4 yds	<b>6823A</b>
4" x 4 yds	<b>6824A</b>
5" x 4 yds	<b>6825A</b>

### Delta-Rol® Synthetic Cast Padding

- Cool and comfortable non-absorbent material designed to wick moisture away and dry quickly
- Conformable stretch allows narrow widths around small anatomies without cutting and tearing
- Latex free



Description	Case Quantity	Product No.
2" x 4 yds	24 rolls/bag, 3 bags/cs	<b>6882</b>
3" x 4 yds	12 rolls/bag, 3 bags/cs	<b>6883</b>
4" x 4 yds	12 rolls/bag, 3 bags/cs	<b>6884</b>
6" x 4 yds	6 rolls/bag, 3 bags/cs	<b>6886</b>

**Delta-Lite® Plus Fiberglass Cast Tape**

- Strong, durable and lightweight fiberglass cast tape
- Used in primary and secondary casting applications where rigid immobilization and durability are required
- 10 rolls per box
- Latex free
- White



Description	Product No.
1" x 2 yds	<b>73458-00</b>
2" x 4 yds	<b>73458-01</b>
3" x 4 yds	<b>73458-02</b>
4" x 4 yds	<b>73458-03</b>
5" x 4 yds	<b>73458-04</b>

**Delta-Lite® Plus Fiberglass Cast Tape Rainbow Pack**

- 2 rolls each dark blue, pink, purple, red, light blue
- 10 rolls per box
- Latex free

Description	Product No.
2" x 4 yds	<b>73458-50</b>
3" x 4 yds	<b>73458-51</b>
4" x 4 yds	<b>73458-52</b>

**Plaster Bandages**

- Designed for rapid wetting; saves you time by reducing preparation time
- Excellent lamination with consistent quality to assure a uniform set-time plus strength you can count on
- 12 rolls per box
- Latex free

Description	Case Qty	X-Fast	Fast
2" x 3 yds	6 boxes/case	<b>41923X</b>	<b>41823F</b>
3" x 3 yds	6 boxes/case	<b>41933X</b>	<b>41833F</b>
3" x 5 yds	6 boxes/case	<b>41935X</b>	<b>41835F</b>
4" x 3 yds	6 boxes/case	<b>41943X</b>	—
4" x 5 yds	6 boxes/case	<b>41945X</b>	<b>41845F</b>
5" x 5 yds	4 boxes/case	<b>41955X</b>	<b>41855F</b>
6" x 5 yds	4 boxes/case	<b>41965X</b>	<b>41865F</b>
8" x 5 yds	3 boxes/case	<b>41985X</b>	<b>41885F</b>
12" x 5 yds	1 box/case	<b>419125X</b>	<b>418125F</b>
18" x 5 yds	1 box/case	<b>419185X</b>	—
32" x 5 yds	1 box/case	<b>419325X</b>	—

**Plaster Splints**

- 50 splints per box
- Same quality and performance as M-Pact Plaster Bandages and they come in pre-cut lengths for easy use
- Latex free

Description	Case Qty	X-Fast	Fast
3" x 15"	12 boxes/case	<b>43315X</b>	<b>42315F</b>
4" x 15"	12 boxes/case	<b>43415X</b>	<b>42415F</b>
5" x 30"	6 boxes/case	<b>43530X</b>	<b>42530F</b>
5" x 45"	6 boxes/case	<b>43545X</b>	<b>42545F</b>



**Elastic Plaster Bandages**

- Elastic gauze gives exceptional conformability for those complex anatomies or difficult casting procedures
- Red Label
- 12 rolls per box
- Contains latex

Description	Case Qty	X-Fast
4" x 4 yds	6 boxes/case	<b>41344E</b>
5" x 4 yds	4 boxes/case	<b>41354E</b>
6" x 4 yds	4 boxes/case	<b>41364E</b>

**BSN Jobst - Gelocast®**

- The original "Unna's" boot is impregnated with zinc oxide and calamine to soothe irritated skin
- Dries quickly providing a semi-rigid cast
- Ideal for immobilization and strains
- 100% cotton base
- 12 ea per case
- 3" x 10 yds

Product No. **01052**



**Fiberglass Tape**

- 10 per box
- Available in White, Black, Dark Blue, Green, Gray, Light Blue, Orange, Pink, Purple, Red and Yellow

Description	Product No.
2" x 4 yds	<b>CF002</b>
3" x 4 yds	<b>CF003</b>
4" x 4 yds	<b>CF004</b>
5" x 4 yds (white only)	<b>CF005</b>

**Lohman & Rauscher - Cellona X-Fast**

- Plaster bandage
- 12 rolls per box
- Rich, creamy, plaster casting material

Description	Product No.
4" x 5 yds	<b>91162</b>
5" x 5 yds	<b>91163</b>
6" x 5 yds	<b>91164</b>
8" x 5 yds	<b>91165</b>
6" x 22 yds	<b>25502</b>
8" x 22 yds	<b>25503</b>



**Ossur - Techform™ Fiberglass Casting Tape (Premium)**

- High strength and durability
- Smooth finish is non-abrasive and snag-free
- "Rub responsive" formula adapts to your technique
- Additional colors available; contact your SPS representative
- 10 rolls per box


Description	Case Quantity	Product No.
2" x 4 yds	4 boxes/case	<b>204WH</b>
3" x 4 yds	4 boxes/case	<b>304WH</b>
4" x 4 yds	4 boxes/case	<b>404WH</b>
5" x 4 yds	4 boxes/case	<b>504WH</b>



**Techform™ II Fiberglass Casting Tape (Standard)**

- New formula results in a cast tape that rolls out more easily, more smoothly, and faster than ever before
- 10 rolls per box


Description	Case Quantity	Product No.
2" x 4 yds	4 boxes/case	<b>200WH</b>
3" x 4 yds	4 boxes/case	<b>300WH</b>
4" x 4 yds	4 boxes/case	<b>400WH</b>
5" x 4 yds	4 boxes/case	<b>500WH</b>



**Cast Padding**

- 100% Synthetic Cast Padding
- 4 yard rolls

Description	Case Quantity	Product No.
2"	12	V-101002
3"	12	V-101003
4"	12	V-101004
6"	6	V-101006



**Webrill Padding**

- 100% cotton cast padding in 4 yard rolls
- Smooth finish

Description	Case Quantity	Product No.
2"	12	V-110002
3"	12	V-110003
4"	12	V-110004
6"	6	V-110006

**Webrill II Padding**

- 100% cotton cast padding in 4 yard rolls
- Crimped finish

Description	Case Quantity	Product No.
2"	24	2332
3"	12	2333
4"	12	2334
6"	6	2336



**STS - Tubular Fiberglass Casting Socks**

- Fast and accurate method casting for residual limbs without the mess of plaster
- Simply "rolls on" quickly and easily
- Excellent conformity to extremities without wrinkling or roping
- Produces a strong glass smooth finish ideal for CAD/CAM
- Removal system eliminates need for cast saw
- 10 per box

Description	Small	Medium	Large	X-Large
17"	1000S	1001S	1002S	1003S
30"	—	1001A	1002A	1003A



**STS - Fitted Polyester Casting Socks**

- Fast and easy method of casting for negative impressions
- Excellent conformity to extremities without wrinkling or roping
- Produces a strong glass smooth finish ideal for CAD/CAM
- Removal system eliminates need for cast saw
- 10 per box

Description	Small	Medium	Large	X-Large
Ankle	<b>900-S</b>	<b>900-M</b>	<b>900-L</b>	<b>900-XL</b>
Mid-Leg	<b>901-S</b>	<b>901-M</b>	<b>901-L</b>	<b>901-XL</b>
Bermuda	—	<b>902-M</b>	<b>902-L</b>	<b>902-XL</b>



Sizing Information		
Shoe Size		
Size	Womens	Mens
Small	4-5 <sup>1</sup> / <sub>2</sub>	—
Medium	6-10 <sup>1</sup> / <sub>2</sub>	6-9 <sup>1</sup> / <sub>2</sub>
Large	11-12	10-11 <sup>1</sup> / <sub>2</sub>
X-Large	—	12-15

**Slipper Sock**

- Fast and accurate method of casting for custom foot orthotic devices, no need for special “cast room”
- Accelerated resin allows for casting in only 5 minutes
- Casts are as accurate as plaster achieved with the speed of using a foam box
- Reduces labor costs by reduction of casting time and clean up
- 10 pair per box

Shoe Size			
Size	Women's	Men's	Product No.
Small	5-6 <sup>1</sup> / <sub>2</sub>	—	<b>903-S</b>
Medium	7-10	7-9	<b>903-M</b>
Large	10 <sup>1</sup> / <sub>2</sub> -12	9 <sup>1</sup> / <sub>2</sub> -11 <sup>1</sup> / <sub>2</sub>	<b>903-L</b>
X-Large	—	12-15	<b>903-XL</b>
Variety	(1 pr S, 4 pr M, 4 pr L, 1 pr XL)		<b>903-V</b>



**Plastic Protective Cutting Strips**

- Used in casting
- <sup>3</sup>/<sub>4</sub>" x 24" long x <sup>1</sup>/<sub>16</sub>" thick

Product No. **1010-24**



**Latex Surgical Tubing**

- Sold 10 foot/pack
- Also sold in 50 foot/rolls (except for item #780331 - see below)

Inside Dia.	Wall Thickness	Outside Dia.	Product No.	
			10 ft	50 ft
1/16"	1/8"	7/16"	TG187125/10FT	TG187125/50FT
1/4"	1/8"	1/2"	780331/10FT*	—
1/4"	1/16"	3/8"	TG250062/10FT	TG250062/50FT
5/16"	1/16"	7/16"	98LAT1-6/10FT	98LAT1-6/50FT
1/2"	1/8"	3/4"	TG500125/10FT	TG500125/50FT

\*780331 sold only in 10' or 100' sections

**Kraft Paper**

Description	Weight	Product No.
18" wide x 1138' per roll	40 lbs	KP18
24" wide x 910' per roll	50 lbs	KP24

**Moulding Plaster of Paris**

- 50 lbs

Product No. **PLASTER**



**Alginate-General Purpose**

Description	Product No.
5 lbs	120005
25 lbs	120025

**Alginate**

- Used in socket duplication

Description	Product No.
5 lbs	370SD
5 lbs	ALGSOCK



**Alginate 390**

- Used in face casts
- 5 lbs

Product No. **ACCU390Y-05**

**Alginate Powder**

- Used in hand and feet casts

Description	Product No.
5 lbs	<b>ALG5LB</b>
25 lbs	<b>ALG25LB</b>

**Alginate Dental Stone Buff**

- 25 lbs

Product No.	<b>310125</b>
-------------	---------------

**Thermagel Warm Alginate**

- Gels in 3 to 5 minutes without chilling the patient
- 5 lbs
- Blue color

Product No.	<b>710810</b>
-------------	---------------



**Zonolite**

- Asbestos free; also known as Vermiculite
- 22 lbs

Product No.	<b>470</b>
-------------	------------




**Vermicolite #4**

Product No.	<b>700-032</b>
-------------	----------------

**Surform Files**

- For fast shaping of plaster cast
- Also can be used on wood and plastics

Description	Product No.
Flat File, complete with handle	<b>ST21295</b>
Round File, complete with handle	<b>ST21297</b>
<b>Surform Replacement Blades</b>	
Description	Product No.
Round Blade	<b>ST21291</b>
Flat Blade	<b>ST21293</b>
Half Round Blade	<b>ST21299</b>



**Modification Handle**


- A Surform blade handle made specifically for orthotic and prosthetic cast modification
- Fits 10" half round and flat blades
- Allows for aggressive and fine modifications while keeping fingers and knuckles clear of abuse



Description	Product No.
Modification Handle	<b>CD309</b>
<b>Replacement Blades</b>	
Half Round Blades (10/pack)	<b>CD309H</b>
Flat Blades (10/pack)	<b>CD309F</b>

**Durite Sand Screen (Screen Bak)**

- 9" x 11" sheets
- 25 sheets/pack



Description	Product No.
220 Grit	<b>03SPSNT935</b>
180 Grit	<b>03SPSNT940</b>
150 Grit	<b>03SPSNT945</b>
120 Grit	<b>03SPSNT950</b>
100 Grit	<b>03SPSNT955</b>

Fabrication  
Supplies

**Garnet Sheet**

- 9" x 11" sheets

Description	Qty/pk	Product No.
220a Grit	50	<b>03SPSNT1488</b>
180a Grit	100	<b>03SPSNT1489</b>
120a Grit	100	<b>03SPSNT1495</b>
100a Grit	100	<b>03SPSNT1500</b>
100c Grit	100	<b>03SPSNT1535</b>
80d Grit	50	<b>03SPSNT1555</b>
60c Grit	25	<b>03SPSNT1560</b>
40d Grit	50	<b>03SPSNT1570</b>



**Comfort Products - Aralon™ Hi-Strength Construction Stockinette**

- Excellent thermal stability with little change in dimension over normal temperature change
- Compatible with polyester, acrylic and epoxy resins
- 40% stronger and half the weight of fiberglass
- Color: Yellow; Sold in 25 yard rolls

Width	Product No.
2"	<a href="#">SA2</a>
3"	<a href="#">SA3</a>
4"	<a href="#">SA4</a>
5"	<a href="#">SA5</a>
6"	<a href="#">SA6</a>
8"	<a href="#">SA8</a>



**Spectralon™ Stockinette**

- 2 times lighter than carbon, 2<sup>1</sup>/<sub>2</sub> times lighter than fiberglass
- Fine gauge knitted stockinette gives maximum stretch while accommodating rapid size changes
- Compatible with acrylic and epoxy resins
- 25 yard rolls

Width	Product No.
2"	<a href="#">SPS225</a>
3"	<a href="#">SPS325</a>
4"	<a href="#">SPS425</a>
5"	<a href="#">SPS525</a>
6"	<a href="#">SPS625</a>
8"	<a href="#">SPS825</a>



**SpectraCarb Stockinette**

- Particularly beneficial when used on the inner layer of 2 stage laminations; superb strength while maintaining some flexibility
- Compatible with any resin
- 40% stronger than kevlar; lighter than carbon or fiberglass
- 5 and 25 yard rolls

Description	Product No.
2" x 5 yds	<a href="#">CSC-2</a>
3" x 5 yds	<a href="#">CSC-3</a>
4" x 5 yds	<a href="#">CSC-4</a>
5" x 5 yds	<a href="#">CSC-5</a>
6" x 5 yds	<a href="#">CSC-6</a>
8" x 5 yds	<a href="#">CSC-8</a>
2" x 25 yds	<a href="#">CSC225</a>
3" x 25 yds	<a href="#">CSC325</a>
4" x 25 yds	<a href="#">CSC425</a>
5" x 25 yds	<a href="#">CSC525</a>
6" x 25 yds	<a href="#">CSC625</a>
8" x 25 yds	<a href="#">CSC825</a>



### Multi-Size™ Stockinette

- All nylon; White
- Does not run from either direction

Description	Flat Width	Product No.
Small	3"	<b>MSS</b>
Regular	4"	<b>MSR</b>
Large	5"	<b>MSL</b>



### Tube Bandages

- Seamless tubular gauze

Description		Dimensions	Product No.
<b>For use with applicator</b>			
Size 3	White	1 <sup>1</sup> / <sub>2</sub> " x 50 yds	<b>GL-221</b>
Size 4	White	2 <sup>5</sup> / <sub>8</sub> " x 50 yds	<b>GL-222</b>
Size 5	White	3 <sup>5</sup> / <sub>8</sub> " x 50 yds	<b>GL-223</b>
Size T-1	White	5" x 50 yds	<b>GL-224</b>
Size T-2	Beige	7" x 50 yds	<b>GL-225</b>
<b>For use without applicator</b>			
Size 3P	White	1 <sup>1</sup> / <sub>2</sub> " x 50 yds	<b>GL-243</b>
Size 4P	White	1 <sup>1</sup> / <sub>2</sub> " x 50 yds	<b>GL-244</b>
Size 5P	White	2" x 50 yds	<b>GL-245</b>



Fabrication  
Supplies

### Nylon Fiberglass

- Lay up material for resin laminations
- 70% fiberglass, 30% elastic nylon
- Smooth surface, no ribs
- Run resistant
- 2 layers equal 6 layers of stretch nylon

Cast Circumference	Length	Product No.
4"	32 yds	<b>413</b>
6"	26 yds	<b>867</b>
8"	27 yds	<b>412</b>
10"	20 yds	<b>411</b>



**Carbon Fiberglass**

- Lay up material for resin laminations
- 50% carbon, 50% fiberglass
- Provides elasticity, lightness, and durability
- 2 layers equal 6 layers of fiberglass/nylon

Cast Circumference	Weight	Product No.
8" - 27 <sup>1</sup> / <sub>2</sub> "	500 g	<b>1017</b>
4" - 15 <sup>3</sup> / <sub>4</sub> "	500 g	<b>9505</b>



**"Modelsoft" Elastic Compression**

- Combined white cotton yarn
- Special stretch stockinette
- 400% elasticity
- Excellent radial expansion and compression

Width	Dimensions	Product No.
4"	8" - 23 <sup>1</sup> / <sub>2</sub> " cast circ.	<b>9251</b>
5"	9 <sup>1</sup> / <sub>2</sub> " - 28 <sup>1</sup> / <sub>2</sub> " cast circ.	<b>9252</b>



**Carbon Kevlar**

- Heavy duty knit composite for socket frames, struts and proximal clasps
- 50% carbon, 50% kevlar
- Carbon provides strength and rigidity
- Kevlar provides strength and flexibility
- 2 layers equals 6 to 8 layers of fiberglass nylon

Width	Product No.
4"	<b>5407</b>
8"	<b>5408</b>



**Stretch Nylon**

- Surface cover in resin laminations
- Smooth even pattern
- No ribs
- 300% elasticity
- Run resistant

Width	Length (yds)	Product No. Flesh	Product No. White
4"	35 <sup>1</sup> / <sub>2</sub>	<b>407</b>	<b>410</b>
5"	22	<b>406</b>	<b>409</b>
6"	25	<b>865</b>	<b>866</b>
10"	10	—	<b>408</b>



Fabrication  
Supplies

**Knit-Rite - Standard Rib-Knit Stockinette**

- Same quality cotton and nylon products available from Knit-Rite for over 50 years

Standard Rib-Knit Stockinette 25 yard (23 m) Roll in Box	
Width	Natural Cotton
1" (2.5 cm)	6S760801
2" (5.1 cm)	6S760802
2.5" (6.4 cm)	6S7608S2
3" (7.6 cm)	6S760803
4" (10.2 cm)	6S760804
5" (12.7 cm)	6S760805
6" (15.2 cm)	6S760806
8" (20.3 cm)	6S760808
10" (25.4 cm)	6S760810
12" (30.5 cm)	6S760812



**Value Line Rib-Knit Stockinette**

- New cotton and nylon commodity products are competitively priced to be cost-effective
- Thinner and stretchier than standard stockinette

Value Line Rib-Knit Stockinette 25 yard (23 m) Roll in Box		
Width	Natural Cotton	White Nylon
2" (5.1 cm)	6SVL0802	6SVL2402
2.5" (6.4 cm)	6SVL08S2	6SVL24S2
3" (7.6 cm)	6SVL0803	6SVL2403
4" (10.2 cm)	6SVL0804	6SVL2404
5" (12.7 cm)	6SVL0805	6SVL2405
6" (15.2 cm)	6SVL0806	6SVL2406
8" (20.3 cm)	6SVL0808	6SVL2408
10" (25.4 cm)	6SVL0810	6SVL2410
12" (30.5 cm)	6SVL0812	6SVL2412



## RX Textiles - Nylon and Cotton Stockinette

- 25 yard rolls

Width	Product No.	
	Cotton	Nylon
1"	1000101	1300101
1 1/2"	1001501	—
2"	1000201	1300201
2 1/2"	1001601	1301601
3"	1000301	1300301
4"	1000401	1300401
5"	1000501	1300501
6"	1000601	1300601
8"	1000801	1300801
10"	1001001	1301001
12"	1001201	1301201
14"	1001401	—



Fabrication  
Supplies

## Cut & Sewn

Material	Width	Length	Product No.
Nylon	2"	18"	2301401
Nylon	2"	24"	2301701
Nylon	3"	18"	2304201
Nylon	3"	24"	2304501
Nylon	3"	30"	2304801
Nylon	4"	18"	2306401
Nylon	4"	24"	2306701
Nylon	5"	18"	2308001
Nylon	5"	24"	2308301
Cotton	3"	18"	2001801
Cotton	3"	24"	2002101
Cotton	3"	30"	2002401
Cotton	4"	18"	2003001
Cotton	4"	24"	2003301
Cotton	5"	18"	2004201
Cotton	5"	24"	2004701





**FlexaStretch Nylon**

- 100% nylon
- Extra fine stitch, no ribs, no runs, 300% stretch
- Will not stick to thermoplastics
- Excellent for vacuum forming
- Extra fine stitch provides smooth appearance on final laminations
- Works with all types of resins

Description	Length	Product No.
Small (3")	38 yds	<b>0010300</b>
Medium (4")	28 yds	<b>0010200</b>
Large (5")	25 yds	<b>0010100</b>



**Perlon**

- 100% Perlon
- Easy saturation, no ribs, no runs, 275% stretch
- Provides extra smooth appearance for final laminations
- Combines well with Nyglass
- Good for everyday socket laminations
- Works with all types of resins

Width	Length	Product No.
6 cm	30 yds	<b>0012100</b>
8 cm	24 yds	<b>0012200</b>
10 cm	40 yds	<b>0012300</b>
12 cm	38 yds	<b>0012400</b>
15 cm	32 yds	<b>0012500</b>
20 cm	24 yds	<b>0012600</b>



Fabrication  
Supplies

**Feather Stretch Nylon**

- Excellent finish for laminated sockets, superb resin penetration
- Outstanding stretch; 100% nylon
- 1st quality fabric, convenient 25 yard rolls
- Can be used as an alternative to vacuum hose; won't stick to thermoplastics

Description	Circumference	Product No.
Regular (2 <sup>1</sup> / <sub>4</sub> "	up to 26"	<b>0013600</b>
Wide (3 <sup>1</sup> / <sub>4</sub> "	up to 56"	<b>0013700</b>



**Nyglass Stockinette**

- Combines the lightweight strength of fiberglass with the elasticity of nylon
- Cost-saving choice for everyday sockets
- 65% fiberglass/35% stretch nylon
- Works well with polyester and acrylic resins for a smooth appearance without any ribs or runs
- Form fitting with 230% stretch

Size	Length	Product No.
7 cm	55 yds	<b>0011000</b>
9 cm	39 yds	<b>0011100</b>
12 cm	30 yds	<b>0011200</b>
15 cm	23.5 yds	<b>0011300</b>
20 cm	16 yds	<b>0011400</b>



**Stretch Nylon - White and Skin Tone**

- 100% Nylon
- Molds well to irregular shapes
- Smooth appearance, no ribs, no runs, 300% stretch

Size	Length	White	Flesh
9 cm	35 <sup>1</sup> / <sub>2</sub> yds	<b>0013100</b>	<b>0014100</b>
12 cm	25 yds	<b>0013200</b>	<b>0014200</b>
15 cm	22 yds	<b>0013300</b>	<b>0014300</b>
20 cm	25 yds	<b>0013400</b>	<b>0014400</b>



**Polyester Stockinette**

- 25 yard roll

Width	Product No.
2"	<b>1200201</b>
3"	<b>1200301</b>
4"	<b>1200401</b>



**Tensitube® Tubular Compression Fabric**


- A latex-free tubular elastic bandage used to treat conditions requiring reliable tissue support
- Includes sprains and strains, soft tissue injuries, joint effusions, general edema, pressure dressings and post-burn scarring
- Tensitube will stay in position to deliver lasting, effective support



Description	Size	Polyester	Cotton
Size A	2"	0110100	0111300
Size B	2 <sup>1</sup> / <sub>2</sub> "	0110200	0111400
Size C	2 <sup>3</sup> / <sub>4</sub> "	0110300	0111500
Size D	3"	0110400	0111600
Size E	3 <sup>1</sup> / <sub>2</sub> "	0110500	0111700
Size F	4"	0110600	0111800
Size G	4 <sup>3</sup> / <sub>4</sub> "	0110700	0111900
Size J	6" (poly) / 6 <sup>3</sup> / <sub>4</sub> " (cotton)	0110800	0112000
Size K	8"	—	0112100

**Knit-Rite - Compressogrip® Tubular Elastic Bandage**

- Edema reduction and control
- More consistent compression than elastic wrap
- Interim control of hypertrophic scarring following burn surgery
- Smooths irregularities when casting: conforms to contours
- Easy to apply; wide range of sizes



Size	Fits Circumference		White	Beige	Black
	Inches	cm	Boxed	Boxed	Boxed
2	5"-7"	12 <sup>1</sup> / <sub>2</sub> -17 <sup>1</sup> / <sub>2</sub>	6S762802	6S763102	—
2 <sup>1</sup> / <sub>2</sub>	7"-10"	18-25	6S7628S2	6S7631S2	—
2 <sup>3</sup> / <sub>4</sub>	8"-11"	20-28	6S7628T2	6S7631T2	—
3	9"-12"	23-30	6S762803	6S763103	6S763303
3 <sup>1</sup> / <sub>2</sub>	10"-13"	25-33	6S7628S3	6S7631S3	—
4	12"-16"	30 <sup>1</sup> / <sub>2</sub> -40 <sup>1</sup> / <sub>2</sub>	6S762804	6S763104	6S763304
5	15"-20"	38-51	6S762805	6S763105	6S763305
6	18"-24"	46-61	6S762806	6S763106	6S763306
8	24"-32"	61-81	6S762808	6S763108	6S763308
10	30"-40"	76-102	6S762810	6S763110	—

Fabrication  
Supplies

**AccuCast® Stretch Stockinette**

- A smooth, 4-way stretchy casting stockinette, knit specifically to enable superior limb impressions to be made
- Has a smooth surface, providing a model that is free of ridges, for less modification time and better model
- The lycra allows the casting interface to fit the limb or torso with greater cling and conformity for more accurate impressions

Width x Length	Stretch Range	Product No.
1 <sup>1</sup> / <sub>2</sub> " (4 cm) x 25 yd (23 m)	2"-5 <sup>1</sup> / <sub>4</sub> " (5-13 cm)	<b>6SCLS125</b>
2 <sup>3</sup> / <sub>4</sub> " (7 cm) x 25 yd (23 m)	5"-22" (12-56 cm)	<b>6SCLT225</b>
6 <sup>1</sup> / <sub>4</sub> " (16 cm) x 25 yd (23 m)	11"-46" (28-116 cm)	<b>6SCLR625</b>
8 <sup>1</sup> / <sub>2</sub> " (22 cm) x 25 yd (23 m)	15"-50" (37-125cm)	<b>6SCLS825</b>
11 <sup>1</sup> / <sub>2</sub> " (29 cm) x 25 yd (23 m)	20"-60" (50-150 cm)	<b>6SCL1125</b>



**Orthomerica - SEAL™ PVA Bags**

- Orthomerica® SEAL PVA Bags are made of the highest quality polyvinyl alcohol and sealed on ultramodern machines in sizes used most often in the fabrication of prostheses
- 40" Length
- Tapered design accommodates ease of application and use of lamination materials


Width	Qty per Box	Product No.
4"	20	<b>4604</b>
6"	20	<b>4606</b>
8"	20	<b>4608</b>
10"	20	<b>4610</b>
12"	20	<b>4612</b>
14"	20	<b>4614</b>
16"	20	<b>4616</b>
20"	10	<b>4620</b>



**Trulife - PVA Sleeves**

- Twenty sleeves in protective paper per package
- 40" long
- 1" wide at narrow end

Width	Qty per Box	Product No.
4"	20	<b>T090040000</b>
6"	20	<b>T090060000</b>
8"	20	<b>T090080000</b>
10"	20	<b>T090100000</b>
12"	20	<b>T090120000</b>
14"	20	<b>T090140000</b>



**SPT/RX Textiles - Closed End PVA Bags**

- Double sealed, polyvinyl alcohol separator in various lamination techniques
- Tapered design accommodates ease of application and use of lamination materials
- When using the closed end model, installing a distal cap is unnecessary
- Material: poly-vinyl alcohol
- Thickness: 3 mil (.08 mm)
- Length: 1,020 mm (40")
- Use over a dry cast or insert
- 5 each per box



Width	Distal Size	Product No.
6"	102 mm	<a href="#">PVA CE 6-3</a>
8"	89 mm	<a href="#">PVA CE 8-2</a>
8"	114 mm	<a href="#">PVA CE 8-4</a>
8"	127 mm	<a href="#">PVA CE 8-5</a>
10"	102 mm	<a href="#">PVA CE 10-3</a>
10"	127 mm	<a href="#">PVA CE 10-5</a>
10"	140 mm	<a href="#">PVA CE 10-6</a>
12"	114 mm	<a href="#">PVA CE 12-4</a>
12"	140 mm	<a href="#">PVA CE 12-6</a>
14"	158 mm	<a href="#">PVA CE 14-7</a>

**SPT/RX Textiles - PVA Sleeves**

- 3 mm thick polyvinyl alcohol
- 40" long


Width	Qty per box	Product No.
6"	20	<a href="#">SPT PVA 6</a>
8"	20	<a href="#">SPT PVA 8</a>
10"	20	<a href="#">SPT PVA 10</a>
12"	20	<a href="#">SPT PVA 12</a>
14"	20	<a href="#">SPT PVA 14</a>



**PVA Film**

- 40" wide in 25 yard rolls

Thickness	Product No.
.003"	<a href="#">714000</a>
.004"	<a href="#">714010</a>



**Vacuum Hose**

Description	Product No.
White panty with toes (12/bag)	<b>780800</b>
White with toes (48/bag)	<b>780804</b>
White without toes (48/bag)	<b>780805</b>
24" Bulk Hose closed toe (30 doz/bag)	<b>780806</b>
White nonstick (5 lb. bag)	<b>199905</b>
12" vacuum hose closed toe (100/bag)	<b>6SVSBK12</b>
24" vacuum hose closed toe (100/bag)	<b>6SVSBK24</b>
36" vacuum hose closed toe (100/bag)	<b>6SVSAK36</b>
S Violet 20" closed toe (50/pk)	<b>780901</b>
M Blue 24" closed toe (50/pk)	<b>780902</b>
L Red 30" closed toe (50/pk)	<b>780903</b>
White untreated (5 lb. bag)	<b>199901</b>



**Dacron Felt**

- Lay up material for use in lamination using resin
- 36" wide
- Available in 5 yard or 25 yard packs


Description	Thickness	5 Yard Pack Product No.	25 Yard Pack Product No.
1/2 oz	Thin (1/8")	<b>11004/5YD</b>	<b>11004/25YD</b>
1 oz	Heavy (1/4")	<b>11009/5YD</b>	<b>11009/25YD</b>



**Braided Fiberglass Cloth**

- 38" width

Description	5 Yard Pack Product No.	125 Yard Pack Product No.
6 oz	<b>713610/5</b>	<b>713610/125</b>
10 oz	<b>713630/5</b>	<b>713630/125</b>



**Braided Fiberglass Sleeve**

Description	Product No.
5" x 10'	<b>FGB5=10FT</b>
5" x 30'	<b>FGB5=30FT</b>
5" x 50'	<b>FGB5=50FT</b>
5" x 100'	<b>FGB5=100FT</b>
7" x 10'	<b>FGB7=10FT</b>
7" x 30'	<b>FGB7=30FT</b>
7" x 50'	<b>FGB7=50FT</b>
7" x 100'	<b>FGB7=100FT</b>
9" x 10'	<b>FGB9=10FT</b>




**Fiberglass Tape**

Description	Product No.
2" x 50 yds	<b>FGT2</b>
3" x 50 yds	<b>FGT3</b>
4" x 50 yds	<b>FGT4</b>
6" x 50 yds	<b>FGT6</b>
8" x 50 yds	<b>FGT8</b>



**Foresee Braided Fiberglass Sleeve**

Description	Product No.
4" x 10'	<b>FGS4</b>
5" x 10'	<b>FGS5</b>
6" x 10'	<b>FGS6</b>



Fabrication  
Supplies

**SPS Braided Fiberglass Sleeve**

Description	Product No.
4" x 10'	<b>F57M4</b>
5" x 10'	<b>F57M5</b>
6" x 10' (light weave)	<b>F54T6</b>
6" x 10'	<b>F57T6</b>

**Carbon Fiberglass Stretch Stockinette**

- 8" x 27<sup>1</sup>/<sub>2</sub>"

Product No.	1017
-------------	------




**Carbon Cloth**

- Size: 36" x 42"

---

Product No. CC1



**Carbon Fabric**

- Size: 20" x 48" roll
- 6 oz


---

Product No. 10157




**Braided Carbon Sleeves**

Description	Product No.
4" x 10'	V57M4
5" x 10'	V57M5
6" x 10'	V57T6
8" x 10'	V57H8
10" x 10'	V57H10
12" x 10'	V57H12
4" x 25 yds	V57M4 25YD
5" x 25 yds	V57M5 25YD
6" x 25 yds	V57T6 25YD
8" x 25 yds	V57H8 25YD
10" x 25 yds	V57H10 25YD
6" x 50'	V57T6 50FT
8" x 50'	V57H8 50FT



**Foresee Braided Carbon Sleeves**

Description	Product No.
2" x 10'	BCF2
4" x 10'	BCF4
5" x 10'	BCF5
6" x 10'	BCF6
8" x 10'	BCF8
10" x 10'	BCF10





**Foresee Carbon Tape**

Description	Product No.
1" x 10 yds	<b>CT1</b>
2" x 10 yds	<b>CT2</b>



**Carbon Tape**


Description	Product No.
1" x 10 yds (Bi-directional)	<b>MI10161</b>
2" x 10 yds (Bi-directional)	<b>MI10162</b>
3" x 10 yds	<b>MI10163</b>
4" x 5 yds	<b>MI88-5</b>
4" x 25 yds	<b>MI88-25</b>
7" x 5 yds	<b>1004</b>



**Carboplast® II**

- Thermoplastic composite sheet material produced using high strength carbon and glass fibers in a unique polypropylene matrix
- Allows deep contour molding
- Molding temperature 400°


Description	Product No.		
	Flexible	Semi-Rigid	Rigid
3.5" x 7.5"	<b>80271A</b>	<b>80273A</b>	<b>80275A</b>
4" x 8"	<b>80271B</b>	<b>80273B</b>	<b>80275B</b>
5" x 9"	<b>80271C</b>	<b>80273C</b>	<b>80275C</b>
4" x 12"	<b>80271D</b>	<b>80273D</b>	<b>80275D</b>
18" x 36"	<b>80271E</b>	<b>80273E</b>	<b>80275E</b>
36" x 36"	<b>80271F</b>	<b>80273F</b>	<b>80275F</b>



**MCC-Compcore™**

- Carbon reinforcement that laminates to polypropylene
- Provides approximately 50% increase in rigidity
- Sheet size 12" x 12"
- Available in two sizes and two thicknesses

MCC-Compcore™ Sheets	
Description	Product No.
1.5 mil or 0.06"	<b>MCC-412</b>
2.5 mil or 0.09"	<b>MCC-415</b>




**PolyCar-C<sup>®</sup>**

- Available in two composite types: Bidirectional for normal reinforcement and Unidirectional for stiffening or strengthening
- Easy to mold – it forms to extreme contours and has polypropylene matrix
- Thermo bonds to polypropylene, co-polymer and metal
- Adherence at 400° F

Bidirectional Sheets	Product No.
12" x 12" x 0.06"	<b>076608</b>
12" x 24" x 0.06"	<b>076610</b>
12" x 12" x 0.09"	<b>076612</b>
12" x 24" x 0.09"	<b>076614</b>
12" x 12" x 0.125"	<b>076616</b>
12" x 24" x 0.125"	<b>076618</b>


Unidirectional Sheets	Product No.
12" x 18" x 0.125"	<b>076620</b>
12" x 36" x 0.125"	<b>076622</b>



**Thermo HK-1 and HK-2**

- Fibrous thermoplastic
- Dimensions: 40" x 27" (1000 mm x 675 mm)
- Thickness: 1.3 mm
- Heat activated

Description	Product No.
HK-1 (adhesive on one side)	<b>32/0029-311</b>
HK-2 (adhesive on two sides)	<b>32/0029-312</b>



**Aetrex Carboplast<sup>®</sup> Rigid Insoles**

Description	Plate Length	Width at Widest Part	Product No.
Small	8 <sup>1</sup> / <sub>2</sub> "	2 <sup>3</sup> / <sub>4</sub> "	<b>4006 S</b>
Medium	9 <sup>1</sup> / <sub>2</sub> "	3"	<b>4006 M</b>
Large	11 <sup>1</sup> / <sub>4</sub> "	3 <sup>1</sup> / <sub>2</sub> "	<b>4006 L</b>
X-Large	12"	3 <sup>3</sup> / <sub>4</sub> "	<b>4006 XL</b>



**Otto Bock - Carbon Fiber Toe Filler Plates**

- Dynamic Response; Versatile Shapes
- Light Weight
- Ultra Thin Shank
- Replace ? with size
- Not heat moldable


A. Flat Foot Plate (Available in 16,19,22,25,28 or 31cm)	
Description	Product No.
Soft	SL=F??S
Medium	SL=F??M
Firm	SL=F??F
X-Firm	SL=F??XF
XX-Firm	S=F??XXF

B. Arch Foot Plate (Available in 16,19,22,25,28 or 31cm)		
Description	Right	Left
Soft	SL=AR??S	SL=AL??S
Medium	SL=AR??M	SL=AL??M
Firm	SL=AR??F	SL=AL??F
X-Firm	SL=AR??XF	SL=AL??XF
XX-Firm	SL=AR??XXF	S=AL??XXF

C. Contoured Foot Plate (Available in 22,25,28 or 31cm)	
Description	Product No.
Soft	SL=CFP??S
Medium	SL=CFP??M
Firm	SL=CFP??F
X-Firm	SL=CFP??XF
XX-Firm	S=CFP??XXF

D. Morton's Extension 8"			
Description	Flat	Contoured Right	Contoured Left
Medium	SL=ME-F-M	SL=ME-CR-M	SL=ME-CL-M
Firm	SL=ME-F-F	SL=ME-CR-F	SL=ME-CL-F

E. Morton's Extension 10"			
Description	Flat	Contoured Right	Contoured Left
Medium	SL=MEL-F-M	SL=MEL-CR-M	SL=MEL-CL-M
Firm	SL=MEL-F-F	SL=MEL-CR-F	SL=MEL-CL-F



Fabrication  
Supplies

***DynaFlex Carbon Fiber Plates***

- Designed to be used as a platform or base
- Enhances gait efficiency and comfort
- Available sizes: 21.5, 23.5, 25.5, 27.5, 29.5, and 31.5
- Replace ??? with size

Description	Flat Foot Plate		Contoured Foot Plate	
	Right	Left	Right	Left
Firm	DFFM????R	DFFM????L	DFCM????R	DFCM????L
Rigid	DFFR????R	DFFR????L	DFCR????R	DFCR????L
Flex	DFFX????R	DFFX????L	DFCX????R	DFCX????L



***DynaFlex Morton's Extensions***

- Available sizes: 23.5, 27.5 and 31.5
- Replace ??? with size

Description	Right	Left
Firm Short	DMSFM????R	DMSFM????L
Firm Long	DMLCM????R	DMLCM????L

***NRG Plates***

- Made from a heat adjustable thermoplastic composite
- High performance graphite construction provides a high strength to weight ratio
- Unique thermoplastic resin formulation for a high resistance to impact, fatigue and cracking
- Easy to bond using conventional adhesives
- Heat Adjustable: Temp range 210°C/410°F - 250°C/480°F.
- Heating time 3-7 minutes.
- Replace ?? with size



Description	Flat Foot Plate*	Contoured Foot Plate**
Semi Flex	FP??SF	CP??SF
Semi Rigid	FP??SR	CP??SR
Rigid	FP??R	CP??R
*available in 18, 21, 24, 26 or 29 cm		
**available in 23, 26, 29 or 31 cm		

### Endolite - Acrylic Flexible Resin

- 100% flexible content
- Thermoplastic resin mix; doesn't include hardener

Description	Size	Product No.
Acrylic Flexible Resin	900 g	<b>878</b>
Acrylic Hardener Powder	30 g	<b>799</b>
Acrylic Flexible Resin	4600 g	<b>881</b>
Acrylic Hardener Powder	150 g	<b>883</b>



### 80:20 Acrylic Laminating Resin

- Poly(methyl methacrylate) (PMMS) thermoplastic resin mix
- 80% rigid, 20% flexible
- Hardener sold separately
- Designed for glass or textile lamination lay-ups

Description	Size	Product No.
80:20 Acrylic Resin	900 g	<b>877</b>
Acrylic Hardener Powder	30 g	<b>799</b>
80:20 Acrylic Resin	4600 g	<b>880</b>
Acrylic Hardener Powder	150 g	<b>883</b>



### Carbonacryl, Laminating Resin

- Specifically designed for carbon fiber lamination lay-ups
- Hardener sold separately

Description	Size	Product No.
Carbonacryl Resin	900 g	<b>793</b>
Acrylic Hardener Powder	30 g	<b>799</b>
Carbonacryl Resin	4600 g	<b>794</b>
Acrylic Hardener Powder	150 g	<b>883</b>



### Siegelharz Bonding Paste

- Acrylic-based sealing putty used for heavy duty bonding

Description	Size	Product No.
Siegelharz Paste	500 g	<b>786</b>
Hardener	30 g	<b>1814</b>



### Acrylic Putty

- Lightweight acrylic-based putty for filling or volume reduction
- 1000 g

Product No. **01562**



Fabrication  
Supplies

***Otto Bock - Orthocryl Resin***

- Colorless, transparent two component resins with a methyl methacrylate base; excellent strength
- Cured laminations are non-irritating to the skin
- Includes hardener

Description	Size	Product No.
Orthocryl Sealing Resin	900 g	<b>617H21=0.900 E</b>
Orthocryl Sealing Resin	4600 g	<b>617H21=4.600 E</b>

***Orthocryl Flexible Resin***

- Used for flexible laminations
- Includes hardener

Description	Size	Product No.
Orthocryl Flexible Resin	900 g	<b>617H17=0.900 E</b>
Orthocryl Flexible Resin	4600 g	<b>617H17=4.600 E</b>

***Orthocryl Lamination Resin 80:20***

- Used for rigid laminations
- Includes hardener

Description	Size	Product No.
Orthocryl Resin 80:20	900 g	<b>617H19=0.900 E</b>
Orthocryl Resin 80:20	4600 g	<b>617H19=4.600 E</b>

***C-Orthocryl Lamination Resin***

- Used for laminating carbon fiber
- Includes hardener

Description	Size	Product No.
C-Orthocryl Resin	900 g	<b>617H55=0.900</b>
C-Orthocryl Resin	4600 g	<b>617H55=4.600</b>

***Light Putty***

- .960 kg

Product No. **636K17=0.960**

***Sealing Resin Paste***

- 1.000 kg

Product No. **636K18**

***Ultraflex Plastic Adhesive***

- .680 kg

Product No. **636W17**



**Original Polyester Resin**

- Air cure polyester resin commonly used in all upper and lower extremity laminations
- This resin is mixed using 3 components:
  1. Base Polyester Resin
  2. Luperco Catalyst Paste
  3. Naugatuck Promoter
- The Department of Transportation mandates that all 3 components ship in separate containers with 3 separate HAZMAT charges



Description	Size	Product No.
Polyester Resin (not pictured)	1 gal	<b>4116</b>
Luperco ANSP (Blue)	1 lb	<b>09500125</b>
Luperco ATC (Orange)	1 lb	<b>02100125</b>
Naugatuck Promoter	4 oz	<b>402</b>



**Pre-Promoted Polyester Resin**

- Pre-promoted polyester resin has the same properties and gel time as the original polyester resin and eliminates the need for naugatuck promoter
- Resin is mixed using 2 components: Polyester Resin and Catalyst
- The Department of Transportation mandates that both components ship in separate containers with 1 HAZMAT charge

Description	Size	Product No.
Pre-Promoted Rigid Polyester Resin	1 gal	<b>PPR</b>
Pre-Promoted Flexible Polyester Resin	1 gal	<b>PPF</b>
Catalyst	4 oz	<b>CA1</b>

**Advanced Dura-Limb Resin**

- Formulated for ease in fabricating orthotics and prosthetics
- Specially formulated to work with carbon or graphite and all other composite materials
- Pigment can be added
- Low viscosity - saturates composite materials 100%
- Gels up cold - does not crush pelite liners under pressure
- Becomes solid before heating up
- Heat moldable
- Shelf life 90-120 days



Product No. **ADL**

**Foresee - Epox-Acryl Laminating Resin**

- Excellent fiber wet out and adhesion
- Toughened polymer lends to high durability
- Readily accepts most available pigmentation
- Will not develop air pockets during curing
- Consistent cure time
- Low viscosity
- Purchase of Resin includes hardener

Description	Size	Product No.
Epox-Acryl Resin	1 gal	<b>EA1</b>
Catalyst	4 oz	<b>CA1</b>



**Acsys Orthopedic - ECO Epoxy Acrylic Resin**

- Non-Hazardous laminating resin
- Very low odor; exceptional wet-out; no bubbles during cure
- Fast cure time: 8-15 minutes depending on the amount of hardener used and ambient temperature
- Includes hardener (CA1)

Product No. **ECO1**



**ECO Extreme Resin**

- Offers unmatched strength and ease of use
- Includes hardener (CA1)

Product No. **EEX1**



**NANO-Res Resin**

- A laminating resin toughened using nano scale elements
- Nano elements function like billions of shock absorbers, helping to attenuate impact energy, providing strength and durability
- Hardener is included

Product No. **NANO1**

**Epoxy Acrylic Resin**

- Unique formulation producing very high strength laminate
- Easy to use; good fiber wet out; will not create bubbles while curing
- Low color formulation allows for easy pigmentation
- Cure time 10-20 minutes depending on the amount of hardener used and ambient temperature
- Includes hardener (CA1)

Product No. **EAR1**





**ER Resin**

- Versatile resin for fabricating orthotics and prosthetics
- Stronger resin resulting in less composite needed
- No need to seal your cast; works just as well under water
- Heat relievable for future adjustments
- Saturates composites thoroughly
- Indefinite shelf life
- 2 part kit

Product No. **ER-Resin**



**Composite Matrix Resin**

- Modified Epoxy Acrylic Resin
- Formulated to “wet out” or saturate the thicker materials such as carbon braids
- No boiling, scaling or hot spots
- Kit includes 80 grams of powder promoter
- One year shelf life

Description	Size	Product No.
Composite Matrix Resin	Gallon	<b>CMRK</b>
Promoter	160 g	<b>CMR 160gm</b>



Fabrication  
Supplies

**Rapidcure Acrylic**

- A two part bonding compound, quicker and more efficient than stiffened polyester resin

Description	Product No.
1 lb kit	<b>199554</b>
5 lb kit	<b>199562</b>
25 lb kit	<b>199568</b>
1 lb powder only	<b>199600</b>
25 lb powder only	<b>199602</b>
1 quart Monomer only	<b>199596</b>
1 pint Monomer only	<b>199598</b>
1 gallon Monomer only	<b>199594</b>



**COE Tray Plastic**

- Fast set white, contains: 3 lbs. powder, 1 pt. liquid, 2 oz. bottles of coe-sep separating agent

Description	Size	Product No.
COE Tray Kit	—	<b>240113</b>
Powder (White) Only	1 lb	<b>240012</b>
Liquid Fast Set Only	1 pt	<b>240192</b>



**RTV 3110 Silicone Rubber**

- Use as a flexible potting and encapsulating material
- 453 g tub

Product No. **RTV3110-1LB**



**RTV 3112 Silicone Rubber**

- Use as a flexible potting and encapsulating material
- 190 kg drum

Product No. **3112RTV**

**4 Catalyst for Silicone Rubber**

- Fast curing agent for two-part silicone rubber
- 0.10 lb (45 g) tube

Product No. **4 CATALYST**

**3-S Silicone Resin**

Description	Product No.
Part A, gallon	<b>741220</b>
Part A, quart	<b>741222</b>
Part B, pint	<b>741228</b>
Part B, 4 oz	<b>741230</b>
Oil, quart	<b>741238</b>
Oil, pint	<b>741240</b>
Inhibitor	<b>741244</b>



**Silicone Foam Elastomer (A-106)**

- Liquid silicone polymer; Yields a low density silicone foam frequently used for custom BK distal end pads
- Mixing: 100 grams of base (A-2370) to 6 grams of Catalyst. Foaming will begin almost immediately upon addition of the catalyst and will continue for approximately three minutes. The foam can be handled within about 10 minutes after pouring; however, allow 24 hours for optimum physical properties. Confining the foam will result in a higher density
- Mixing with 6382: 6382 Elastomer can be added to make a higher density, more durable foam. Try a small test: 50 parts A-2370 and 50 parts 6382 to 6 parts of Catalyst, adjust the ratio to find your desired density
- Sold per pound (1 pint) with Catalyst

Product No. **A2370**



Fabrication  
Supplies

**Silicone Elastomer (A-101)**

- Two-part silicone which will react at room temperature without putting off heat. This material is dimensionally stable and does not become hard with age. It is commonly used as a resin for laminating silicone partial feet and bladders for expandable wall syemes. It is also added to A2370 elastomer foam to increase the density
- Mixing: 100 grams of base (6382) to 21 drops of catalyst. This mix will give you an approximate work time of 10 minutes and a cure time of 30 minutes. The viscosity of 6382 is comparable to honey. When used as a laminate the viscosity must be changed to make it pourable. This can be accomplished with the addition of OH Thinner (part no. A318)
- Mixing for Lamination: 100 grams of base, 50 grams of OH Thinner and 42 drops of catalyst. This mix will give you an approximate work time of 10 minutes and a cure time of 30 minutes. The amount of OH thinner can be changed to find the viscosity that works for you, but do not add more than 65 to 100 g of base etc.; this could cause the lamination to be weak
- Sold per pound (1 pint) with Catalyst



Product No. **6382**

**OH Elastomer Thinner**

- Used as a thinner for 6382 Elastomer, see directions above

Product No. **A318**

**Silicone Elastomer Catalyst Only**

- Used with A2370 or 6382 Elastomer; 1 ounce jar

Product No. **A-106C**



**RTV200 Fluid Thinner**


- 1 pint

Product No. **RTV200**

**Bulk Silicone Putty**

- Sold per pound

Product No. **SE-6035\16**



**Klean Klay**

- Natural 1 lb wrapped

Product No. **KK100**

Fabrication  
Supplies

**Polyurethane Rigid Foam**

Description	Product No.	
	Quart	Gallon
Hardener Part A	<b>P34-846-Q</b>	<b>P34-846-G</b>
Resin Part B	<b>P98-317-Q</b>	<b>P98-317-G</b>



**Footshell Foam Kit (Mirror Image)**

- Lightweight, easy to use polyurethane foam to be used in finishing any prosthesis that requires a foot shell
- Single Use Kit

Product No. **SL=P071**



**Pedilen Rigid Foam 200**

- Rigid foam used on thin walled synthetic sockets for controlled alignment of parts, static or dynamic
- Lightweight; can be worked like wood
- Used for average weight bearing prostheses

Description	Size	Product No.
Pedilen Rigid Foam 200	865 g	<b>617H12=0.865</b>
Pedilen Rigid Foam 200	4600 g	<b>617H12=4.600</b>

**Pedilen Duplicating Plastic**

- Used for quick and accurate socket duplications

Description	Size	Product No.
Pedilen Duplicating Plastic	865 g	<b>617H37=0.865</b>
Pedilen Duplicating Plastic	4600 g	<b>617H37=4.600</b>
Hardener	865 g	<b>617P21=0.865</b>
Hardener	4600 g	<b>617P21=4.600</b>



**Orthopur Rigid Foam**

Foam Type	Container Size	Product No.
200	Quart	<b>G-RG-200A-0.9</b>
200	Gallon	<b>G-RG-200A-4.6</b>
300	Quart	<b>G-RG-300A-0.9</b>
300	Gallon	<b>G-RG-300A-4.6</b>

**Foam Hardener**

Description	Product No.
Quart	<b>G-RG-B-0.9</b>
Gallon	<b>G-RG-B-4.6</b>

**Durathane Rigid Fabricating Foam**

Description	Container Size	Product No.
Resin	Gallon	<b>54048</b>
Catalyst	Gallon	<b>54049</b>
Kit	Two 1 Gallon Containers	<b>54050</b>



**ISO BK and AK Foam Blanks**

- Dimensionally stable over a broad lamination temperature and pressure range
- Uniform 90% closed cell structure resulting in no voids or air pockets
- Available in 7/8", 1", 1.5", figure 8 hole diameter and 6.5" depth or specify other

Description/ Size	Foam Shape	Box Qty	Product No.	
			2 lb	4 lb
BK (8"x8"x12")	Rectangle	18	<b>ISO2-8812RISO</b>	<b>ISO4-8812RISO</b>
BK (8"x16")	Cylinder	12	<b>ISO2-816CISO</b>	<b>ISO4-816CISO</b>
AK (12"x18")	Cylinder	6	<b>ISO2-1218CISO</b>	<b>ISO4-1218CISO</b>
AK (12"x24")	Cylinder	4	<b>ISO2-1224CISO</b>	<b>ISO4-1224CISO</b>



Fabrication  
Supplies

**Proteor - Keasy Cones**

- Thermoformable cones have a closed cell structure for effective hygiene and easy cleaning
- Mono-bloc design eliminates the need for glue, thus eliminating hard spots and potential allergic reactions
- AK and BK 6.5 mm soft configurations available
- 3 mm hard interface liner provides intermediate surface between a gel liner and the socket
- 275° - 305° forming temperature

Description	Diameter	Length	Product No.
6.5 mm BK Soft	160 mm	400 mm	<b>1S400-160</b>
6.5 mm BK Soft	180 mm	505 mm	<b>1S400-180</b>
6.5 mm AK Soft	210 mm	500 mm	<b>1S400-210</b>
3 mm Interface	170 mm	420 mm	<b>1S400-170</b>




**DupliCone**

- Duplication and reduction
- Easy global ply reductions
- Perfectly molds sockets and liners
- Molds only require a short office visit
- No messy alginate or smelly chemicals
- Ideal for making a spare or shower prosthesis
- Creates a practical, permanent record of the socket shape




Size	Proximal Height	Proximal Diameter	Distal Circ.	Circ.	Product No.
BK-Small	14"	3.5"	11"	7.5"	<b>CM101</b>
BK-Medium	14"	4.25"	13"	9"	<b>CM102</b>
BK-Large	14"	5.25"	16"	11.5"	<b>CM103</b>
BK-X-Large	14"	6"	18"	13"	<b>CM104</b>
AK-Med	22.5"	7"	21"	12.5"	<b>CM106</b>



**Cellulose Crystals**

- Cellulose solution for waterproofing plaster
- Finishing Flakes; Dissolves in Acetone
- Sold by the pound

Product No. **199059**



**Micro Balloons - Filler**

- 1 gallon colorless glass beads

Product No. **IG-25**

**Solka Floc - Strength**

- 2 pound bag of bleached wood fibers

Product No. **BW300**



**LD Silica - Outside/Repair**

- 1 gallon for a shiny finish

Product No. **717020**



### Kingsley Concentrated Color Pigments for New Skin

- 4 oz bottles
- Use only with New Skin

Color	Product No.
Black	NL7025BLK
Blue	NL7025BLU
Brown	NL7025BR
Orange	NL7025OR
Red	NL7025RD
White	NL7025W
Yellow	NL7025Y
Kit	NL7025KIT



### New Skin Urethane Cosmetic Skin Coating

- The cosmetic finish for all endoskeletal and exoskeletal prostheses; looks like real skin
- Caucasian color
- 1 Gallon

Product No.	NL7005G
-------------	---------

### New Skin Flex & Stretch

- Great for AK prostheses, but may also be used for BK applications
- Cosmetic finish for all prostheses; looks like real skin
- Colors: Caucasian and Clear

Color	Size	Product No.
Caucasian	1 gal.	NL7016G
Clear	1 gal.	NL7034G

### Kingsley Standard Color Pigments

Color	4 Ounce	1 lb squeeze Bottle	2 lb squeeze Bottle	Quart
Caucasian	K18C40Z	K18CLB	716200	K18CQ
Light Caucasian	K18CL40Z	K18CLLB	—	K18CLQ
Dark Caucasian	K18CD40Z	K18CDLB	—	K18CDQ
Medium Brown	K184A40Z	K184ALB	716210	K184AQ
Dark Brown	K187A04	K187ALB	—	K187AQ
Snow White	K18W04	K18WLB	—	K18WQ
Oriental	K18O40Z	K18OLB	—	K18OQ
Latin	K18L40Z	K18LLB	—	K18LQ
Black	K18BLK40Z	K18BLKLB	—	—



**Prosthetic Research Specialists - Stretch EZ**

- Excellent stretching ability of the finished prosthesis makes this an ideal choice for AK applications
- Can be used for BKs when a soft feel is desired
- Liquid can be brushed or sprayed
- Formulated for use with PRS pigments, though works with any standard pigment

Description	Product No.	
	Quart	Gallon
Stretch EZ	<b>STRETCH 32</b>	<b>STRETCH 128</b>



**Easy Skin**

- Original, tough vinyl skin coating that can be brushed, sprayed and pigmented
- Recommended for all your skinning applications
- Clear vinyl formula
- Sold per gallon

Product No. **EZ128**



**Easy Endo Glue**

- 1 quart

Product No. **EZ Endo Glue**

**Petroleum Jelly**

Description	Product No.
16 oz jar	<b>168-0053</b>
15 oz jar	<b>199356</b>



**IMS Silicone Spray**

- Mold release general purpose silicone spray
- 12 oz

Product No. **113653**



**Silicone Grease**

- 5.3 oz tube

Product No. **AERI-GO53-T**

Fabrication  
Supplies



**PRS Flesh Color System Pigments**

- Compatible with most resins and silicone
- Available in 33 tones to match almost any skin tone
- 2% pigment is recommended for most applications
- Can be thinned with acetone if necessary
- Conveniently packaged in 8 ounce plastic bottles
- For Hosmer/Steeper/Otto Bock



PRS Flesh Color System Pigments	
Color	Product No.
1	FCS01
2	FCS02
3	FCS03
4	FCS04
5	FCS05
6	FCS06
7	FCS07
8	FCS08
9	FCS09
10	FCS10
11	FCS11
12	FCS12
13	FCS13
14	FCS14
15	FCS15
16	FCS16
17	FCS17
18	FCS18

PRS Realistic Pigment Colors	
Color	Product No.
R05	FCSR05
R09	FCSR09
R13	FCSR13
R17	FCSR17
R21	FCSR21
R25	FCSR25
R29	FCSR29
R33	FCSR33
R37	FCSR37
R41	FCSR41
R45	FCSR45
R49	FCSR49
R53	FCSR53
R57	FCSR57
R61	FCSR61

Fabrication  
Supplies

**Brace Ease**

- Synthetic dry lubricant for braces and prostheses

Description	Product No.
1.5 oz	<b>3310</b>
2.5 oz	<b>3330</b>

**Silicone Lubricant**

- High quality silicone lubricant eliminates rubber squeaks, prevents sticking and seals out moisture; 8 oz

Product No.	<b>08897</b>
-------------	--------------

**Orthocoat**

- High gloss, air dry finish protective coating; 16 oz can

Product No.	<b>700-007</b>
-------------	----------------

**Nu-Life Color Spray**

- Designed to permanently renew or change the color of leather, vinyl, or plastic
- 4.5 oz can

Color	Product No.
Medium Brown	<b>605</b>
Dark Brown	<b>606</b>
Black	<b>615</b>
White	<b>617</b>
Bone	<b>618</b>
Fashion Brown	<b>629</b>
Natural	<b>647</b>
Dark Bone	<b>648</b>
Vanilla	<b>649</b>
Light Gray	<b>660</b>

**Hosmer Lac: Quick Drying Lacquer**

- Synthetic lubricant for braces and prostheses
- Works as a dry lubricant

Description	Product No.
Quart	<b>51263</b>
Gallon	<b>51264</b>



Fabrication  
Supplies

**Ambroid**

- Lacquer base adhesive; 1 gallon

Description	Product No.
Cement	A5
Solvent	A22
Varnish	A56



**BJB**

- Clear Flat Coating/Akin-Flex, 1 gallon

Description	Product No.
Coating	SFPF1GL
Thinner	SFTH1GL



**Methylethyl Ketone/MEK**

Product No. **3540000**



**Acetone**

- 1 quart

Product No. **PET-241**



**Citrus Base Cleaner**

- Aerosol cleaner for use on metal parts, motors, tools and most dirty or greasy surfaces
- Citrus-oil based; emulsifies when flushed with water
- 24 oz
- Contains no petroleum distillates

Product No. **62-4615-4930-5**



Fabrication  
Supplies

**Tetrahydrofuran Thinner**

Description	Product No.
Quart	NL7023
Gallon	NL7024



**Neoprene Adhesive**

- 1 gallon

Product No.	14-34
-------------	-------

**Barge**

Description	Size	Product No.
Barge Cement	Gallon	DC-001
Barge Cement Thinner	Gallon	DC-181
Barge Rubber Cement*	Gallon	DA-020
Barge Super Speed Cement	Gallon	DA-010
All Purpose Cement	Quart	DC-031
*Toluene free		



**DUALL 88**

Description	Gallon
Cement	DUALL88
Thinner	770950



**Master's**

- General use adhesive
- Bonds in 5 minutes

Description	4 Ounce Can	Quart	Gallon
Master Cement	MAS-113	MAS-111	MAS-110
Master Multi-Purpose Cement	—	MAS-131	MAS-140
Master Thinner	—	MAS-121	MAS-120
Master All-Purpose Thinner	—	—	MAS-150



**Petronio's**

Description	Gallon
#8 Rubber Cement	<b>PET-220</b>
Colle de Cologne (renia)	<b>770960</b>



**Scotchgrip Adhesive**

Description	Product No.
Quart	<b>SP1000</b>
#2 Thinner (Gallon)	<b>SCOTCH-WELD #2</b>



**Flexible Vinyl Cement**

- Clear bodied, fast curing, high strength
- Instant contact strength for joining vinyl, leather, urethane, wood, canvas etc.
- 1 pint

Product No. **WELD-ON 66**



**Contact Cement for Vinyl Fabrics**

- Excellent for bonding vinyl-coated fabric; also bonds metal, leather, rigid plastic, urethane, vinyl foam, and wood
- 4 oz brush top can
- Covers approximately 100 sq ft/gal
- Color: Amber

Product No. **7507A1**

**Poly-Adhesive**

- High Strength, clear, non-staining adhesive
- Can be used with Pe-Lite, polypropylene, polyethylene, and similar plastics

Description	Product No.
7 <sup>1</sup> / <sub>2</sub> oz can with brush	<b>SP1005</b>
Quart	<b>SP1000</b>
Solvent, Quart	<b>199463</b>



Fabrication  
Supplies

**Adhesive Containers/Dispensers**

Description	Product No.
Glass cement keeper, 16 oz	<b>806900</b>
Plastic cement keeper, 16 oz	<b>806901</b>
Replacement brush for 806901	<b>16HH</b>
Metal cement keeper	<b>1980</b>
Metal cement keeper replacement brush	<b>1980-1</b>



**Quick-Sil Silicone**

- Super soft, 2° Shore A Visco-elastic silicone provides a custom layer of skin compatible comfort
- Self levels and sets in less than five minutes for a quick, easy modification

Description	Product No.
Static mixers (25 piece)	<b>55/1251-051</b>
Static mixer (15 piece)	<b>55/1251-331</b>
330 ml Silicone	<b>55/1251-330</b>
50 ml Silicone (5 pack)	<b>55/1251-050</b>



Fabrication  
Supplies

**Quick-Sil Starter System**

- Dual cartridge delivery system allows for quick turn around from practitioner to patient
- The cartridge loaded injection gun dispenses the correct silicone mixture every time; sets in 5 minutes
- Super Soft 2° Shore A
- Two sizes: 50 ml for small modifications and orthotic work, and 330 ml for larger modifications and prosthetic work

Description	Product No.
50 ml Starter System	<b>55/1250-005</b>
330 ml Starter System	<b>55/1250-033</b>



**Fabtech Systems - PLU Series Adhesive**

- +PLUSeries® 25 Second Cartridge Adhesive System is the fastest curing 2-component urethane known to be on the market
- This urethane product is so fast it can often replace Cyanoacrylate “tacking” adhesives
- Resistant to elevated temperatures, moisture, most solvents and chemicals
- Tan color
- 50 ml and 220 ml sizes



Description	Size	Product No.
220 ml Adhesive - 25 second adhesive	Large	<b>25SL</b>
50 ml Adhesive - 25 second adhesive	Small	<b>25SS</b>
220 ml Adhesive - 60 second adhesive	Large	<b>60SL</b>
50 ml Adhesive - 60 second adhesive	Small	<b>60SS</b>
220 ml Adhesive - 1 minute composite	Large	<b>C1L</b>
50 ml Adhesive - 1 minute composite	Small	<b>C1S</b>
220 ml mixer tips	Large	<b>127216</b>
50 ml mixer tips	Small	<b>169506</b>
220 ml dispenser gun	Large	<b>G220</b>
50 ml dispenser gun	Small	<b>G50</b>

**+PLUSeries Solvent Replacement Wipes**

- Specifically designed to replace the use of acetone & other toxic solvents in your work environment
- 100% biodegradable formula; ships DOT non-regulated
- Non-flammable and non-combustible; contains no pumice or other abrasive materials
- Quickly removes dirt, paint, oil, epoxy resin, polyester resin, adhesives, permanent ink, dyes, stains, grease, tar, glue, urethane backing, paint and pigments, plus much more!



Description	Product No.
1 Dispenser Container (70 ea. 8 x 12” wipes)	<b>70CW</b>
2 Dispenser Containers (140 ea. 8 x 12” wipes)	<b>702CW</b>
6 Dispenser Containers (420 ea. 8 x 12” wipes)	<b>706CW</b>

**5 Min. Epoxy**

- 4 ounce

Product No. **14250**

**Smooth-On Epoxy**

- Bond to a variety of surfaces such as plastics, wood and most metals
- 5 ounce (2 pint epoxy)

Product No. **7022**



Fabrication  
Supplies

## Coyote Designs - Fast Set Silicone

- Comes with one mix tip
- Loaded in dispenser for easy use

Description	Product No.
180 cc Silicone Cartridge	<b>CD5180</b>
12-pack Mixing Tips	<b>CD410</b>
Gun	<b>CDDMA51</b>



## Quick Adhesive

- 50 cc cartridge with plunger and 3 mix tips (gun required: CDDMA51)

Product No.	<b>CD4150</b>
-------------	---------------



## Silicone Rubber Adhesive

- RTV108 tube with nozzle

Product No.	<b>78006400085</b>
-------------	--------------------



## Fast-Fix

- For instant bonding of man-made materials
- Bonds leather, nylon, vinyl, urethane, rubber and other materials
- Activator causes adhesive to cure instantly

Description	Product No.
Adhesive (2 oz)	<b>Fast Fix</b>
Adhesive (4 oz)	<b>Fast Fix 4oz</b>
Activator (7.9 oz)	<b>Activator Spray</b>
Safety Solvent (1 oz)	<b>Fast Fix Safety Solvent</b>



## It Stays Adhesive

- Roll on body adhesive
- Washes off with water
- 1 Bottle

Product No.	<b>6</b>
-------------	----------





**Loctite**

- Adhesive thread locker
- Medium strength
- Color: Blue

Description	Product No.
10 ml	<b>2422L</b>
50 ml	<b>2423L</b>



**Zap-A-Gap**

- Thick gap filling instant adhesive

Description	Product No.
1 oz	<b>PT02</b>
4 oz	<b>PT05</b>



**Zip-Kicker**

- Accelerator for super glues and sprays; 2 ounce

Product No.	PT15
-------------	------

**Hollister Medical Adhesive**

- To adhere ostomy, prosthetic devices, surgical dressings and pads to skin

Description	Product No.
3.2 oz Spray	<b>7730</b>
Solvent	<b>7731</b>



**3M - Spray Adhesive**

Description	Purpose	Can Size	Product No.
High Tack 76	Single surface bond	16.25 oz	<b>3M#76</b>
Super 77	Multi Purpose	16.5 oz	<b>027.77</b>
Contact 80	Neoprene/ Vinyl Adhesive	18 oz	<b>027.80</b>
High Strength 90		17.6 oz	<b>3M90</b>



**Tape Measures**

Description	Product No.
Non-Retractable Seamstress 60"	<b>35-FG</b>
SPS Retractable 60"	<b>DP485</b>
PVC Coated 60"	<b>220329</b>



**Marking Pencils**

- 12 per box

Description	Product No.
Red	<b>22923-3162</b>
Black	<b>9512663</b>




**SPS Indelible Pencil**

Product No. **88012**

**Tongue Depressors**

- Box of 500

Product No. **GU705 REG**



**Cups**

Non-Waxed Mixing Cups	Sleeve Count	Product No.
8 oz	50	<b>DOP8</b>
16 oz	50	<b>DOP16</b>
32 oz	25	<b>SOLOHD32</b>

Coldwaxed Cups	Sleeve Count	Product No.
5 oz	100	<b>352005</b>
12 oz	100	<b>352045</b>
16 oz	50	<b>352085</b>

Polycoated Cups	Sleeve Count	Product No.
28 oz	40	<b>352011500</b>



**Leather Lace String**

Description	Color	Length	Product No.
5/16" wide x 1/8" thick	Pearl	72"	<b>735000</b>



**Parachute Cord**

Description	Color	Length	Product No.
Nylon with tips	White	72"	<b>550 72</b>
Nylon	White	100 yd	<b>51712</b>

**Beeswax**

- 1 lb bars

Product No. **W00102**



**Thread**

- Order by the spool

Description	Color	Size	Product No.
X-Heavy HBS Nylon	White	16 oz	<b>Z207</b>
Medium HBS Nylon	White	8 oz	<b>Z69</b>
Medium HBS Nylon	Black	8 oz	<b>Z69 BK</b>
FF Nymo Monocord	White	6 oz	<b>00106FF001</b>



Fabrication  
Supplies

**Tape**

Description	Size	Product No.
Double Stick	1" x 36 yds	<b>465 1</b>
Black Electrical	3/4" x 60 ft	<b>ET67</b>
Filament (rayon reinforced)	1/2"	<b>RG12</b>
Filament (strapping)	1"	<b>89801</b>
Pressure Sensitive Vinyl	1" x 36 yds	<b>1500801</b>
Clear Stretch	3/4" x 60 ft	<b>199430</b>
Clear Stretch	3/4" x 36 yds	<b>199434</b>
Clear Packing	2"	<b>AGP 2X110 RUB</b>
General Purpose Masking	1" x 60 yds	<b>PG5-1</b>
General Purpose Masking	2" x 60 yds	<b>PG5-2</b>
General Purpose Masking	1" x 60 yds	<b>2214-1</b>
General Purpose Masking	2" x 60 yds	<b>2214-2</b>
General Purpose Masking	3" x 60 yds	<b>2214-3</b>



**SPS - 1 1/2" Nylon Paint Brush**

Description	Product No.
Box of 72	<b>BR1572</b>
Box of 36	<b>BR1536</b>



**Squeeze Bottle**

- 16 oz

Product No.	21059
-------------	-------

**Medline Industries - Vinyl Gloves**

- Latex free synthetic exam gloves
- Disposable
- 100 per box

Description	Accutouch Powder Free	MediGuard Powder Free	Powdered
Small	<b>30PF-S</b>	<b>MSV401</b>	—
Medium	<b>30PF-M</b>	<b>MSV402</b>	—
Large	<b>30PF-L</b>	<b>MSV403</b>	—
X-Large	<b>30PF-XL</b>	—	<b>30P-XL</b>



**Disposable Latex Gloves**

- Disposable
- 100 per box

Description	Powdered	Powder Free
X-Small	<b>10P-XS</b>	<b>10PF-XS</b>
Small	<b>10P-S</b>	<b>10PF-S</b>
Medium	<b>10P-M</b>	<b>10PF-M</b>
Large	<b>10P-L</b>	<b>10PF-L</b>
X-Large	<b>10P-XL</b>	<b>10PF-XL</b>



**Aloetouch Latex Gloves**

- Aloe Vera gel which coats this glove naturally moisturizes and hydrates skin
- Disposable
- Sold by case, 10 boxes of 100

Description	Powder Free
X-Small	<b>20PF-XS</b>
Small	<b>20PF-S</b>
Medium	<b>20PF-M</b>
Large	<b>20PF-L</b>
X-Large	<b>20PF-XL</b>



Fabrication  
Supplies

**Aloetouch Nitrile “Latex Free” Gloves**

- Aloe Vera gel which coats this glove naturally moisturizes and hydrates skin
- Disposable
- Sold by case, 10 boxes of 100



Description	Powder Free
X-Small	<b>50PF-XS</b>
Small	<b>50PF-S</b>
Medium	<b>50PF-M</b>
Large	<b>50PF-L</b>
X-Large	<b>50PF-XL</b>

**Delta Lite Gloves**

- Color: Purple
- Fiberglass cast gloves
- 20 per box

Description	Product No.
Small	<b>LFPS</b>
Medium	<b>LFPM</b>
Large	<b>LFPL</b>
X-Large	<b>LFPXL</b>

**Polyester (Dacron) Tape, Regular**

- 25 yard roll

Size	Natural	Beige	Black
1/2"	<b>411400500NBO</b>	—	<b>411400500BK</b>
5/8"	<b>411400625NBO</b>	—	<b>411400625BK</b>
3/4"	<b>411400750NBO</b>	—	<b>411400750BK</b>
1"	<b>411401000NBO</b>	<b>411401000BG</b>	<b>411401000BK</b>
1 1/2"	<b>411401500NBO</b>	<b>411401500BG</b>	<b>411401500BK</b>
2"	<b>411402000NBO</b>	<b>411402000BG</b>	<b>411402000BK</b>



WBC Brand			
Size	Natural	Beige	Black
5/8"	<b>58WDAC</b>	<b>58BDAC</b>	<b>58LDAC</b>
1/2"	<b>05WDAC</b>	<b>05BDAC</b>	<b>05LDAC</b>
3/4"	<b>34WDAC</b>	<b>34BDAC</b>	<b>34LDAC</b>
1"	<b>1WDAC</b>	<b>1BDAC</b>	<b>1LDAC</b>
1 1/2"	<b>15WDAC</b>	<b>15BDAC</b>	<b>15LDAC</b>
2"	<b>2WDAC</b>	<b>2BDAC</b>	<b>2LDAC</b>

Fabrication  
Supplies

## Polyester (Dacron) Tape, Heavy Duty

- 25 yard roll

Size	Natural	Beige
1/2"	128700500NBO	128700500BG
3/4"	128700750NBO	—
1"	128701000NBO	—

## Dacron Tape Cover

- Clear plastic tube


Size	Unit of Measure	Product No.
1/2"	Foot	71790
3/4"	Foot	71791
1"	5 foot package	71792/5
1 1/2"	5 foot package	71794/5



## Non-Elastic Webbing


White Cotton	Roll Size	Product No.
1"	50 yds	WO16041.02
1 1/8"	36 yds	744450
1 1/2"	36 yds	WO24041.02
2"	36 yds	WO32041.02

White Nylon	Roll Size	Product No.
1"	50 yds	3059



## Elastic Webbing - White Cotton

Size	Roll Size	Product No.
1"	36 yds	EW1WW
1 1/2"	36 yds	EW15WW
2"	36 yds	EW2WW
4"	50 yds	291R-40



**Wool Felt**

- 36" wide white wool

Size	Unit of Measure	Product No.
1/8"	3 yds	R 51312536/3YD
1/4"	3 yds	R 51325036/3YD
3/8"	1 yd	R 51337536/1YD
1/2"	1 yd	R 51350036/1YD



**Wool Felt, Adhesive Backed -White**

Size	Product No.
1/8" x 5 1/2" x 2 1/2 yds	58924
1/4" x 5 1/2" x 2 1/2 yds	68926

**Dacron Polyester Felt**

- 36" wide

Size	Unit of Measure	Product No.
Thin 1/8" (1/2 oz)	25 yds	11004/25YD
Thin 1/8" (1/2 oz)	5 yds	11004/5YD
Heavy 1/4" (1 oz)	25 yds	11009/25YD
Heavy 1/4" (1 oz)	5 yds	11009/5YD

**Moleskin**

- 12" x 5 yards
- Contains latex

Description	Product No.
White	58369
Flesh	58364



**Leg Bags**

- Blue plastic leg bags
- 2 mm
- 19" x 48"
- 100/roll

Product No. **777630**



**Shipping Boxes**

Description	Dimensions	Product No.
AK leg carton, 15/bundle	10" x 10" x 42"	<b>AK Box</b>
BK leg carton, 20/bundle	14" x 6" x 20"	<b>BK Box</b>



**Waterhouse Leather - Molding Leather**

- Sold by the hide

Description	Average Size	Product No.
10/11 oz	20 sq ft	<b>159</b>
8/9 oz	10 sq ft	<b>157</b>
7/8 oz	10 sq ft	<b>156</b>
6/7 oz	10 sq ft	<b>155</b>
5/6 oz	20 sq ft	<b>154</b>
4/5 oz	20 sq ft	<b>153</b>
3/4 oz	20 sq ft	<b>152</b>
2/3 oz	20 sq ft	<b>151</b>
Kip 21/2 oz	10 sq ft	<b>12</b>



157



**Cowhide**

- Sold by the hide, average hide is 20'

Description	Extra Light (1-2 oz)	Light (2-3 oz)	Medium (3-4 oz)
Cream	801	802	803
Cow Cream Stretch	—	802S	—
Pearl	901	902	903
Pearl Stretch	—	902S	—
White	—	195	195M
Clay	—	—	200M
Brown	—	197	197M
Black	—	297	198M



801

**Elk**

- Sold by the hide, average hide is 20'

Description	Light (3-4 oz)	Medium (4-5 oz)	Heavy (5-6 oz)
White	191	192	193
Smoked (Taupe)	181	182	183
Smoked (Green)	1812	1822	1833
Embossed (Green)	—	1821	1823
Brown	201WAT	202WAT	203WAT
Black	101	102	103




102

**Cabretta**

- 2 ounce
- 10 feet average hide

Description	Product No.
Beige	306
Cream	307WAT
Dark Brown (average hide = 6 feet)	305




306

**Russett Saddle**

- Sold by the hide
- Average hide is 20 square feet


Description	Product No.
10/11 oz	<b>709</b>
8/9 oz	<b>707</b>
6/7 oz	<b>705</b>
2/3 oz	<b>701</b>



**Shearlings**

- 3/4" pile sheepskin
- 9-12 feet average hide

Product No. **29**



**Black Sable**

- 20 feet average

Product No. **148**




**Honey Sable**

- 20 feet average

Product No. **146**

**Vinyl Coated Cloth (Naugahyde)**

Description	Unit of Measure	Product No.
Beige Vinyl	54" x 3 yd	<b>900BG3</b>
White Vinyl	54" x 3 yd	<b>900WH3</b>
Navy Vinyl	27" x 3 yd	<b>SDUR-00084</b>



**Alpha Fabric**

- Alpha flat sheet fabric prevents shear forces, friction and impact forces affecting patients skin
- Available with fabric on one side or both sides
- 3, 6, or 9 mm thickness
- Color: Buff or Brown

Description	1 sided fabric	2 sided fabric
3 mm buff	<b>ALF-0130</b>	<b>ALF-1130</b>
6 mm buff	<b>ALF-0160</b>	<b>ALF-1160</b>
9 mm buff	<b>ALF-0190</b>	<b>ALF-1190</b>
3 mm brown	<b>ALF-0230</b>	<b>ALF-1230</b>
6 mm brown	<b>ALF-0260</b>	<b>ALF-1260</b>
9 mm brown	<b>ALF-0290</b>	<b>ALF-1290</b>



**Silipos - Gel Squares™**

- 3 mm thick square of silipos polymer gel, available with or without self-adhesive backing
- Versatile solution to problems caused by pressure and friction
- Can be used as an interface between the skin and braces
- 4" x 4", 2 pieces per package

Description	Product No.
Self-Adhesive Backing	<b>15505</b>
Without Backing	<b>15515</b>



Fabrication  
Supplies

**Gel Dots™**

- Same versatile qualities as the above squares
- 1/2" x 1" diameter; 15 per sheet

Product No. **10255**

**Gel E Roll™**

- Stretchable fabric bandage coated one side with a layer of Slipos polymer gel
- Conforms very well to the irregular shapes of the body
- Moves with the skin, reducing irritation
- One 4" x 48" roll per pack


Product No. **10355**



**Wonderflex™**

- Recommended to line Orthotic Appliances
- Soft durometer cushioning for top cover of liners of Orthotic devices
- Ideal for diabetic, arthritic and the insensitive foot
- Absorbs shock and sheer force
- Medical grade silicone gel sheeting
- May be cut to desired size

Size	Thickness	Product No.	
		Unlined	Lined
12" x 16" (30 cm x 40 cm)	2 mm	<b>4722</b>	—
12" x 16" (30 cm x 40 cm)	3 mm	<b>4723</b>	<b>4733</b>
12" x 16" (30 cm x 40 cm)	5 mm	—	<b>4735</b>



**Soft Shear Gel Sheeting™**

- 3 mm thick sheet of Silipos polymer gel for excellent pressure and shear relief
- Available with fabric on one side
- Fabric increases durability and allows sheet to be glued
- 16" x 20"
- Color: Blue

Product No. **15805**



**ESP Silicone Gel Strips**

- 2 mm or 4 mm thick
- Sold in pairs

Diameter	Product No.	
	2 mm thick	4 mm thick
1" x 3"	<b>ESP-2GSA</b>	<b>ESP-4GSA</b>
1" x 4 <sup>1</sup> / <sub>2</sub> "	<b>ESP-2GSB</b>	<b>ESP-4GSB</b>
1 <sup>1</sup> / <sub>4</sub> " x 3"	<b>ESP-2GSC</b>	<b>ESP-4GSC</b>
1 <sup>1</sup> / <sub>4</sub> " x 4 <sup>1</sup> / <sub>2</sub> "	<b>ESP-2GSD</b>	<b>ESP-4GSD</b>



**Ipocon Gel Sheet**

- 11" x 15" x 4 mm
- Fabric on both sides
- Clear

Product No. **1580**

**Becker Orthopedic - ShearBan**

- Revolutionary product designed to help manage friction quickly, easily, and cost effectively
- Provides benefits to your patients by increasing the comfort and performance of your orthotic or prosthetic design
- 8" x 12", 5 sheets per box

Description	Product No.
Blue	<b>749-Blue</b>
Beige	<b>749-Beige</b>
Blue, single sheet	<b>749S-Blue</b>
Beige, single sheet	<b>749S-Beige</b>
Replace Rivet Cover Patch	<b>749-7</b>



**Velfoam**

Description	Color	Product No.
6" x 5 yd Loop Back	White	<b>281162</b>
2 <sup>1</sup> / <sub>4</sub> " x 5 yd Double Face	Beige	<b>281163</b>
6 <sup>1</sup> / <sub>4</sub> " x 5 yd Double Face	Beige	<b>281164</b>




Fabrication  
Supplies

**Spenco Insole**

- Insole material
- 1/8" thick; sheet size: 39" x 48"

Description	Product No.
Blue	<b>E76044252</b>
Black	<b>E76061042</b>



**NeoSponge™**

- Neoprene material covered with a 4-way stretch nylon
- Superior shock absorbing and cushioning, while at the same time reducing friction
- Single abraded with a blue top cover; not heat moldable
- 1/8" thick; sheet size: 42" x 24"

Product No. **SDUR-00206**



**Adhesive Sifoam**


- Open cell foam applicable in weight bearing relief
- Adjusts to bony prominences; compresses under tension
- 8" x 9" Sheet; 10 sheets per box; sold by the sheet

Product No. **6F809010**

**Alimed - T-Foam™**

- Contours and molds with body heat and pressure
- Absorbs shock; eliminates pressure points
- 16" x 18" sheet

Description	Density	Color	Product No.
1"	Soft	Pink	<b>160S</b>
2"	Soft	Pink	<b>161S</b>
1"	Medium	Blue	<b>160M</b>
2"	Medium	Blue	<b>161M</b>
1"	Hard	Green	<b>160H</b>
2"	Hard	Green	<b>161H</b>



Fabrication  
Supplies

**Nickelplast™**

- High strength expanded material with outstanding uniformity and superior working characteristics
- 10 times faster
- Resists bottoming out and offers a resilient and rubbery quality not found in simpler, cross-linked polyethylene materials
- Shrinks about 15% when thoroughly heated
- Nickelplast S gives extra resilience, elongation and has a more rubbery feel

Description	Color	Thickness	Sheet Size	Product No.
S-Firm	Balsa	1/8"	39" x 43"	<b>4791</b>
S-Firm	Balsa	3/16"	39" x 43"	<b>4792</b>
S-Firm	Balsa	1/4"	39" x 43"	<b>4793</b>
X-Firm	Brown	1/8"	39" x 35"	<b>4801</b>
X-Firm	Brown	3/16"	39" x 35"	<b>4802</b>
X-Firm	Brown	1/4"	39" x 35"	<b>4803</b>



**Endolite - NORTHfoam**

- Chemically crosslinked, closed cell polyethylene foam
- Inert and chemically resistant
- Used in below knee liners, insoles and other padding applications
- Sheet size: 39" x 39"


Thickness	Product No.
2 mm	<b>FS2F</b>
3 mm	<b>FS3F</b>
4 mm	<b>FS4F</b>
5 mm	<b>FS5F</b>
6 mm	<b>FS6F</b>
7 mm	<b>FS7F</b>
8 mm	<b>FS8F</b>
10 mm	<b>FS10F</b>



**Fillauer - Censoft**

- Lightweight polyethylene foam
- Soft insole material made of EVA with a blend of 6% rubber which gives the material a very good compression memory
- Prevents moisture absorption
- Forming temperature: 266°-320° F
- Color: Beige
- Sheet size 36" x 52"

Thickness	Product No.
5 mm	<b>637900005</b>
7 mm	<b>637900007</b>



**Acor - Microcell Puff**

- Proprietary formulated EVA foam
- Firm support, dense, durable and grinds easily with a clean finish
- Excellent shock absorber; heat moldable
- Resists “bottoming out”
- Shore A Durometer 35
- Sheet Size: 37” x 30”




Thickness	Color	Product No.
1/16"	White	<a href="#">Puff-00071</a>
1/16"	Confetti: Blue/ Black/Aqua	<a href="#">Puff-00066</a>
1/16"	Blue	<a href="#">Puff-00067</a>
1/16"	Pink	<a href="#">Puff-00068</a>
1/16"	Black	<a href="#">Puff-00134</a>
1/16"	Black Ice	<a href="#">Puff-00761</a>
1/8"	Blue	<a href="#">Puff-00074</a>
1/8"	Pink	<a href="#">Puff-00075</a>
1/8"	White	<a href="#">Puff-00079</a>
1/8"	Purple	<a href="#">Puff-00119</a>
1/8"	Storm	<a href="#">Puff-00767</a>
1/8"	Yellow/Red/Blue/Green	<a href="#">Puff-00080</a>
1/8"	Purple/Pink/White	<a href="#">Puff-00372</a>
1/8"	Green/Purple/White	<a href="#">Puff-00355</a>
1/8"	Confetti: Blue/ Black/Aqua	<a href="#">Puff-00073</a>
1/8"	Black Ice	<a href="#">Puff-00765</a>
3/16"	Blue	<a href="#">Puff-00206</a>
3/16"	Pink	<a href="#">Puff-00062</a>
3/16"	White	<a href="#">Puff-00063</a>
3/16"	Storm	<a href="#">Puff-00771</a>
3/16"	Black	<a href="#">Puff-00390</a>
3/16"	Green/Purple/White	<a href="#">Puff-00357</a>
3/16"	Purple/Pink/White	<a href="#">Puff-00374</a>
3/16"	Confetti: Blue/ Black/Aqua	<a href="#">Puff-00221</a>
3/16"	Black Ice	<a href="#">Puff-00769</a>
1/4"	Blue	<a href="#">Puff-00105</a>
1/4"	Pink	<a href="#">Puff-00093</a>
1/4"	White	<a href="#">Puff-00133</a>
1/4"	Black	<a href="#">Puff-00387</a>
1/4"	Confetti: Blue/ Black/Aqua	<a href="#">Puff-00103</a>
3/8"	Blue	<a href="#">Puff-00208</a>
1/2"	Blue	<a href="#">Puff-00108</a>
1/2"	Black	<a href="#">Puff-00399</a>
1/2"	Confetti: Blue/ Black/Aqua	<a href="#">Puff-00104</a>



**Microcell Puff Lite**

- Grindable
- Molding temperature: 225° - 275° F for 2-3 min.
- Shore A Durometer 25
- Sheet Size: 40" x 40"; Light Blue

Thickness	Product No.
1/16"	<a href="#">Puff-00249</a>
1/8"	<a href="#">Puff-00083</a>
3/16"	<a href="#">Puff-00250</a>
1/4"	<a href="#">Puff-00082</a>
3/8"	<a href="#">Puff-00252</a>
1/2"	<a href="#">Puff-00081</a>
5/8"	<a href="#">Puff-00255</a>
3/4"	<a href="#">Puff-00296</a>
1"	<a href="#">Puff-00297</a>



**Microcell Puff Firm**

- Grindable
- Molding temperature: 275° - 300° F for 4-5 min.
- Shore A Durometer 55
- Sheet Size: 34" x 33"

Thickness	Black	Red	Rust	Brown	Camo	White
1/16"	<a href="#">Puff-00158</a>	<a href="#">Puff-00284</a>	<a href="#">Puff-00052</a>	<a href="#">Puff-00298</a>	<a href="#">Puff-00077</a>	<a href="#">Puff-00309</a>
1/8"	<a href="#">Puff-00276</a>	<a href="#">Puff-00286</a>	<a href="#">Puff-00060</a>	<a href="#">Puff-00300</a>	<a href="#">Puff-00078</a>	<a href="#">Puff-00310</a>
3/16"	<a href="#">Puff-00278</a>	<a href="#">Puff-00288</a>	<a href="#">Puff-00259</a>	<a href="#">Puff-00301</a>	<a href="#">Puff-00265</a>	<a href="#">Puff-00157</a>
1/4"	<a href="#">Puff-00280</a>	<a href="#">Puff-00290</a>	<a href="#">Puff-00065</a>	<a href="#">Puff-00303</a>	<a href="#">Puff-00090</a>	<a href="#">Puff-00312</a>
3/8"	<a href="#">Puff-00155</a>	<a href="#">Puff-00295</a>	<a href="#">Puff-00260</a>	<a href="#">Puff-00304</a>	<a href="#">Puff-00266</a>	<a href="#">Puff-00170</a>
1/2"	<a href="#">Puff-00125</a>	<a href="#">Puff-00406</a>	<a href="#">Puff-00070</a>	<a href="#">Puff-00306</a>	<a href="#">Puff-00095</a>	<a href="#">Puff-00142</a>
5/8"	<a href="#">Puff-00033</a>	<a href="#">Puff-00045</a>	<a href="#">Puff-00263</a>	<a href="#">Puff-00069</a>	<a href="#">Puff-00267</a>	<a href="#">Puff-00084</a>
3/4"	<a href="#">Puff-00147</a>	<a href="#">Puff-00426</a>	<a href="#">Puff-00264</a>	<a href="#">Puff-00305</a>	<a href="#">Puff-00270</a>	<a href="#">Puff-00099</a>

**Microcell Puff Extra Firm**

- Grindable
- Molding temperature: 275° - 300° F for 4-5 min.
- Shore A Durometer 65
- Sheet Size: 32" x 29"; Black

Thickness	Product No.
1/16"	<a href="#">Puff-00156</a>
1/8"	<a href="#">Puff-00161</a>
3/16"	<a href="#">Puff-00164</a>
1/4"	<a href="#">Puff-00175</a>
3/8"	<a href="#">Puff-00181</a>
1/2"	<a href="#">Puff-00087</a>
5/8"	<a href="#">Puff-00096</a>



## Poron®

- Poron is similar to PPT
- Can be used with foot orthotics, prosthetics, and orthotics
- An excellent shock absorber in a sport orthotic or as a full protection material for the Diabetic or Arthritic patient
- Lightweight material; will not bottom out
- Grindable; not heat moldable
- Shore A Durometer 15



### Unabraded Smooth

Thickness	Size	Blue	Tan
1/16"	42" x 18"	PORS-00014	PORS-00022
1/16"	42" x 36"	PORS-00040	PORS-00019
1/8"	42" x 18"	PORS-00017	PORS-00023
1/8"	42" x 36"	PORS-00042	PORS-00031
1/4"	38" x 18"	PORS-00013	PORS-00021
1/4"	38" x 36"	PORS-00039	PORS-00016
3/8"	42" x 18"	PORS-00012	—
3/8"	38" x 36"	PORS-00038	—

### Abraded (One Side)

Thickness	Size	Blue	Tan
1/16"	42" x 18"	PORS-00003	PORS-00026
1/16"	42" x 36"	PORS-00029	PORS-00043
1/8"	42" x 18"	PORS-00006	PORS-00008
1/8"	42" x 36"	PORS-00032	PORS-00020
1/8"	38" x 18"	—	—
1/8"	38" x 36"	—	—
1/4"	42" x 18"	PORS-00002	—
1/4"	42" x 36"	PORS-00028	—
3/8"	42" x 18"	PORS-00085	PORS-00024
3/8"	42" x 36"	PORS-00086	PORS-00034

### Double Abraded

Thickness	Size	Blue
1/16"	38" x 18"	PORS-00010
1/16"	38" x 36"	PORS-00036
1/8"	38" x 18"	PORS-00011
1/8"	38" x 36"	PORS-00037
1/4"	38" x 18"	PORS-00009
1/4"	38" x 36"	PORS-00035

### Poron with Fabric Top Cover

Thickness	Size	Type	Blue
1/16"	42" x 18"	Smooth	PORS-00015
1/16"	42" x 18"	Abraded One Side	PORS-00004
1/8"	42" x 18"	Abraded One Side	PORS-00055
1/8"	30" x 36"	Abraded One Side	PORS-00054

**P-CELL®**

- Substitute for pink plastazote; micro fine closed cell structure
- Superior shock absorption
- Less tearing, greater tensile strength
- Shore A Durometer 15-20
- Molding temperature 225° - 275° F; color - Pink

Thickness	Sheet Size	Product No.
1/16"	37" x 30"	<a href="#">SDUR-00255</a>
1/8"	37" x 30"	<a href="#">SDUR-00256</a>
3/16"	37" x 30"	<a href="#">SDUR-00257</a>
1/4"	37" x 30"	<a href="#">SDUR-00258</a>
3/8"	37" x 30"	<a href="#">SDUR-00259</a>
1/2"	37" x 30"	<a href="#">SDUR-00260</a>
3/4"	37" x 30"	<a href="#">SDUR-00261</a>
1"	37" x 30"	<a href="#">SDUR-00262</a>



**Aetrex - Plastazote Sheets**

- A foamed polyethylene of closed cell construction, cross-linked to ensure extreme lightness and improve resistance
- Flammability is of a low order - it melts and burns slowly
- Unaffected by all common acids, alkalis and solvents
- Medium density recommended for non-weight-bearing linings & pads
- Firm density recommended for collars and spinal jackets
- Rigid density recommended for foot orthoses and splints
- Molding temperature: 285°F

Thickness	White Medium Density Non-Perforated 40"x40"	Flesh Medium Density Non-Perforated 40"x40"	Black Medium Density Non-Perforated 40"x40"	White Firm Density Non-Perforated 30"x40"	Black Rigid Density Non-Perforated 25"x35"
1/16"	<a href="#">7051311</a>	<a href="#">7051411</a>	—	<a href="#">7053311</a>	<a href="#">7054111</a>
1/8"	<a href="#">7051312</a>	<a href="#">7051412</a>	<a href="#">7051112</a>	<a href="#">7053312</a>	<a href="#">7054112</a>
3/16"	<a href="#">7051313</a>	<a href="#">7051413</a>	<a href="#">7051113</a>	<a href="#">7053313</a>	<a href="#">7054113</a>
1/4"	<a href="#">7051314</a>	<a href="#">7051414</a>	<a href="#">7051114</a>	<a href="#">7053314</a>	<a href="#">7054114</a>
3/8"	<a href="#">7051315</a>	<a href="#">7051415</a>	—	<a href="#">7053315</a>	<a href="#">7054115</a>
1/2"	<a href="#">7051316</a>	<a href="#">7051416</a>	—	<a href="#">7053316</a>	<a href="#">7054116</a>
3/4"	<a href="#">7051317</a>	<a href="#">7051417</a>	—	<a href="#">7053317</a>	
1"	<a href="#">7051318</a>	<a href="#">7051418</a>	—	<a href="#">7053318</a>	

**Alimed - Plastazote Rolls**

- Flesh colored, self-adhesive padding rolls
- Roll Size: 6" x 36"

Thickness	Product No.
1/16"	<a href="#">4430</a>
1/8"	<a href="#">4431</a>
3/16"	<a href="#">4432</a>
1/4"	<a href="#">4433</a>



**Volara (AliPlast)**

- A closed cell, foam material of extraordinary versatility as a splinting material, padding, or orthotic interface
- Forming temperature: 290° - 325° F

**4E (Medium Density)**

- Excellent for padding and cushioning splints and casts
- Shore A Durometer 23; Color: White

Description	Product No.
<b>Sheet with Adhesive</b>	
1/8" x 18" x 24"	<b>786620</b>
1/8" x 18" x 24" (4 sheets per case)	<b>4425</b>
<b>Sheet</b>	
1/8" x 30" x 36"	<b>786610</b>
3/16" x 30" x 36"	<b>786640</b>
1/4" x 30" x 36"	<b>786670</b>
1/2" x 30" x 36"	<b>786680</b>
<b>Roll</b>	
1/8" x 30" x 120'	<b>786600</b>
3/16" x 30" x 100'	<b>786630</b>
1/4" x 30" x 80'	<b>786660</b>



Fabrication  
Supplies

**6A (Firm Density)**

- Effective for foot orthotics and hand splints
- Shore A Durometer 34; Color: White

Description	Sheet	Product No.
1/8" x 24" x 29"	<b>4410 S</b>	—
1/4" x 24" x 29 1/2"	<b>4411</b>	—
1/8" x 29" x 81'	—	<b>4407</b>

**Aliplast 10 (X-Firm Density)**

- Effective for foot orthotics and hand splints
- Shore A Durometer 60; Sheet size 29" x 32"

Description	Color	Sheet	Product No.
1/8" x 30" x 40'	Buff	—	<b>4414</b>
1/8" x 25" x 30"	Buff	<b>4415</b>	—
1/8" x 24" x 30 1/2"	White	<b>4454</b>	—
1/8" x 30" x 40'	White	—	<b>4455</b>

**Aliplast XPE**

- Firmest grade; Resists long-term compression
- Color: Ivory; dense material with pebble surface
- Shore A Durometer 68; Sheet size 29" x 32"

Thickness	Product No.
3/16"	<b>4815</b>
3/8"	<b>4816</b>
9/16"	<b>4817</b>

**Fillauer - Pe-Lite™**

- Closed cell lightweight polyethylene foam
- Non allergenic; Non absorbent
- Forming temperature: 220° - 250° F
- Sheet Size: 39" x 39"



<b>B-4 Soft Density</b>			
<b>Thickness</b>	<b>Surface</b>	<b>Color</b>	<b>Product No.</b>
1/8" (3 mm)	Non-Perforated	White	<b>186007</b>
3/16" (5 mm)	Non-Perforated	White	<b>186015</b>
3/8" (10 mm)	Non-Perforated	White	<b>186031</b>
1/2" (13 mm)	Non-Perforated	White	<b>186049</b>
3/16" (5 mm)	Ventilated	White	<b>186502</b>

<b>A-8 Medium Density</b>			
<b>Thickness</b>	<b>Surface</b>	<b>Color</b>	<b>Product No.</b>
1/8" (3 mm)	Non-Perforated	White	<b>183004</b>
3/16" (5 mm)	Non-Perforated	White	<b>183012</b>
5/16" (8 mm)	Non-Perforated	White	<b>183020</b>
3/8" (10 mm)	Non-Perforated	White	<b>183038</b>
1/2" (13 mm)	Non-Perforated	White	<b>183046</b>
1/8" (3 mm)	Perforated	White	<b>184010</b>
3/16" (5 mm)	Perforated	White	<b>184002</b>
1/8" (3 mm)	Ventilated	White	<b>185009</b>
3/16" (5 mm)	Ventilated	White	<b>185017</b>

<b>A-20 Firm Density</b>			
<b>Thickness</b>	<b>Surface</b>	<b>Color</b>	<b>Product No.</b>
1/8" (3 mm)	Non-Perforated	White	<b>180018</b>
3/16" (5 mm)	Non-Perforated	White	<b>180034</b>
5/16" (8 mm)	Non-Perforated	White	<b>180042</b>
3/8" (10 mm)	Non-Perforated	White	<b>180067</b>
1/2" (13 mm)	Non-Perforated	White	<b>180083</b>
3/4" (18 mm)	Non-Perforated	White	<b>180109</b>
1/8" (3 mm)	Non-Perforated	Caucasian	<b>180003</b>
3/16" (5 mm)	Non-Perforated	Caucasian	<b>188011</b>
1/2" (13 mm)	Non-Perforated	Caucasian	<b>188037</b>
1/8" (3 mm)	Non-Perforated	Beige	<b>189001</b>
3/16" (5 mm)	Non-Perforated	Beige	<b>189009</b>
1/8" (3 mm)	Perforated	White	<b>181008</b>
3/16" (5 mm)	Perforated	White	<b>181024</b>
1/8" (3 mm)	Ventilated	White	<b>182006</b>
3/16" (5 mm)	Ventilated	White	<b>182014</b>
1/8" (3 mm)	Laminated PVC	White	<b>186973</b>

Fabrication  
Supplies


**Fillauer - Pe-Lite™ (continued)**

Extra-Firm Density			
Thickness	Surface	Color	Product No.
1/16" (1.5 mm)	Non-Perforated	White	<b>187005</b>
1/8" (3 mm)	Non-Perforated	White	<b>187013</b>
1/16" (1.5 mm)	Perforated	White	<b>187495</b>
1/8" (3 mm)	Perforated	White	<b>187500</b>

**SoleTech - Herringbone Soling**

- Sheet Size: 15" x 30"
- 9 Iron; 3/16" thick
- Available in Black or White


Color	Product No.
White	<b>9709301500</b>
Black	<b>9709101500</b>



**Minicheck Topi**

- Flexible rubber sheet with a high resistance to abrasion
- Approximately 2 mm (1/16") thick x 18" x 36"

Color	Product No.
Black	<b>9603101800</b>
Brown (neutral)	<b>9603151800</b>
Oak	<b>9603491800</b>
White	<b>9603311800</b>



**Crepe Vibram Soling Material**


- 1/16"; Dark Brown

Product No.	<b>755200</b>
-------------	---------------

**Vulcrepe**

- SBR Rubber which provides good abrasion for outsole use
- Fine Rib (6 Iron) is used when greater flexibility is needed
- Wide Rib (7 Iron) is more suitable for applications where a thicker sole is necessary
- Sheet Size: 18" x 36"

Description	Brown	Black
Wide Rib	<b>9107201800</b>	<b>9107101800</b>
Fine Rib	—	<b>9306101800</b>



### Gum Crinkle

- Also known as Luna Crepe
- Synthetic gum rubber with crinkle pattern
- Higher degree of anti-slip quality than SBR rubber compounds
- Black; Sheet Size: 15" x 30"

Description	Product No.
7 Iron	8907101500
12 Iron	8912101500

### Firm Crepe


- A firmer EVA/SBR blend
- Durable and abrasive-resistant enough to be used for outsoleing
- Heating Temp: 275° F
- 60-65 Durometer

Color	1/4" (12 Iron)	3/8" (18 Iron)	1/2" (24 Iron)
Black	8412101800	8418101800	8424101800
White	8412301800	8418301800	8424301800
Blue	8412501800	8418501800	8424511800

### Diamond Pattern Crepe

- Sheet size: 18" x 36"
- 50-55 Durometer

Color	1/4" (12 Iron)	3/8" (18 Iron)	1/2" (24 Iron)
Black	8312101800	8318101800	8324101800
Brown	8312201800	8318201800	8324201800
White	8312301800	8318301800	8324301800
Almond	8312411800	8318411800	8324411800
Gray	8312101800	8318701800	8324701800



### Crepe

- Also known as SolFlex; a moderately firm density EVA/SBR blend that is durable, resilient, and thermoformable
- Can be used against the skin
- 50-55 Durometer
- Sheet size: 18" x 36"

Color	1/4" (12 Iron)	3/8" (18 Iron)	1/2" (24 Iron)	5/8" (30 Iron)	3/4" (36 Iron)
Black	8212101800	8218101800	8224101800	8230101800	8236101800
Brown	8212201800	8218201800	8224201800	8230201800	8236201800
Almond	8212411800	8218411800	8224411800	8230411800	8236411800
White	8212301800	8218301800	8224301800	8230301800	8236301800

**Cloud Crepe**

- Durable and thermoformable medium density EVA that provides excellent support and shock absorbing protection
- Can be used against the skin
- Sheet size: 18" x 36"; 35-40 Durometer

Color	1/8" (6 Iron)	1/4" (12 Iron)	3/8" (18 Iron)	1/2" (24 Iron)	3/4" (36 Iron)	1" (48 Iron)
Black	8106101800	8112101800	8118101800	8124101800	8036101800	8048101800
Brown	8106201800	8112201800	8118201800	8124201800	8136201800	8148201800
Almond	8106411800	8112411800	8118411800	8124411800	8136411800	8148411800
White	8106301800	8112301800	8118301800	8124301800	8036301800	8048301800
Gray	8106701800	8112701800	8118701800	8124701800	—	8148701800

**Ultra Cloud Crepe**

- A unique soft, lightweight thermomoldable EVA that provides long lasting shock absorbing protection
- Can be used against the skin as a top cover or padding
- Sheet size: 18" x 36"; 17-20 Durometer

Color	1/8" (6 Iron)	3/16" (9 Iron)	1/4" (12 Iron)	3/8" (18 Iron)	1/2" (24 Iron)
Black	8506101800	—	8512101800	8518101800	8524101800
White	8506301800	—	8512301800	8518301800	8524301800
Blue	8506501800	8509501800	8512501800	8518501800	8524501800

**Acor - Outsole Materials**

- Offer greater flexibility, oil resistance and durability than crepe
- Ideal for use on the soles of shoes
- Can also be used for short limb build-ups, rocker soles and other sole modifications
- Sheet Size: 7 mm x 36" x 24"
- 10 sheets per case

Color	Ribbed Flexible Tread	Sport Wave Tread	Crinkle Tread
Black	SLHL-00079	SLHL-00083	SLHL-00087
Beige	SLHL-00080	SLHL-00084	SLHL-00095
Brown	SLHL-00081	SLHL-00085	SLHL-00088
White	SLHL-00082	SLHL-00086	SLHL-00096



**Tan Multicork**

- Combination of cork and eva that is both lightweight and firm
- Heat moldable, grindable and washable
- Makes a great base for foot orthotics where substantial control is required
- Sheet Size 36" x 30"

Description	Product No.
1/8"	SDUR-00054
1/4"	SDUR-00077
1/2"	SDUR-00078



**EFM**


- Extra Firm Material; very high density
- Heat moldable, grindable, and washable
- Black; Sheet size: 1/2" x 37" x 30"
- 70 Durometer

Description	Product No.
1/8"	<b>SDUR-00247</b>
1/4"	<b>SDUR-00248</b>

**Thermocork®**

- Heat formable; combines both strength and flexibility
- Offers shock absorption, while maintaining its shape under severe stress
- Can be easily formed directly to a positive model
- Molding Temperature: 300° F

Description	Sheet Size	Product No.
1/8"	35" x 43"	<b>8013112</b>
3/16"	35" x 43"	<b>8013113</b>
1/4"	35" x 43"	<b>8013114</b>
3/8"	36" x 44"	<b>8013115</b>



Fabrication  
Supplies

**Thermocork® Lite**

- Light weight thermoplastic blend that combines cork with polyolephin foam for greater flexibility and cushioning
- Unique composite makes Thermocork Lite very easy to mold and grind; will maintain shape and context under stress
- Molding Temperature: 275° F

Durometer	Thickness				
	1/8"	3/16"	1/4"	3/8"	1/2"
55 Durometer	<b>8014-2</b>	<b>8014-3</b>	<b>8014-4</b>	<b>8014-5</b>	<b>8014-6</b>
65 Durometer	<b>8015-2</b>	<b>8015-3</b>	<b>8015-4</b>	—	<b>8015-6</b>

**AliCork™ Lite**

- Moldable material; Holds shape, absorbs shock and impact
- A dispersion of natural cork particles in a unique plastic matrix
- May be compressed to relieve point pressure by applying local heat with a heat gun
- Shore A Durometer 65; Sheet size: 33" x 26"

Description	Product No.
1/4"	<b>4003ALI</b>
3/8"	<b>4004ALI</b>




**Birkenstock BirkoCork**

- Firm Density
- 10 mm, Sheet size: 18" x 12"

Product No. **13310**

## COPE Plastics - Polypropylene

- A natural thermoplastic material suggested for orthotic and prosthetic applications
- Consistently returns to its original form without fatiguing
- This material is heated at 400° F



Description	Sheet Size	Natural	Flesh	Black
1/16" (1.5 mm)	16" x 16"	<b>300-166N</b>	—	—
1/16" (1.5 mm)	24" x 48"	<b>300-162N</b>	—	—
1/16" (1.5 mm)	32" x 48"	<b>300-163N</b>	—	—
1/16" (1.5 mm)	48" x 48"	<b>300-164N</b>	—	—
3/32" (2.5 mm)	24" x 48"	<b>300-332N</b>	—	—
3/32" (2.5 mm)	32" x 48"	<b>300-333N</b>	—	—
3/32" (2.5 mm)	36" x 48"	<b>300-335N</b>	—	—
3/32" (2.5 mm)	48" x 48"	<b>300-334N</b>	—	—
1/8" (3 mm)	16" x 24"	<b>POL181624</b>	—	—
1/8" (3 mm)	24" x 48"	<b>300-182N</b>	—	<b>300-182K</b>
1/8" (3 mm)	32" x 48"	<b>300-183N</b>	—	<b>300-183K</b>
1/8" (3 mm)	48" x 48"	<b>300-184N</b>	<b>300-184F</b>	<b>300-184K</b>
5/32" (4 mm)	24" x 48"	<b>300-532N</b>	—	<b>300-532K</b>
5/32" (4 mm)	16" x 24"	<b>POL5321624</b>	—	—
5/32" (4 mm)	32" x 48"	<b>300-533N</b>	—	<b>300-533K</b>
5/32" (4 mm)	48" x 48"	<b>300-534N</b>	—	—
5/32" (4 mm)	16" x 24"	<b>POL3161624</b>	—	—
3/16" (5 mm)	16" x 27"	<b>POL3161627</b>	—	—
3/16" (5 mm)	16" x 32"	<b>POL3161632</b>	—	—
3/16" (5 mm)	18" x 30"	<b>POL3161830</b>	—	—
3/16" (5 mm)	24" x 32"	<b>300-369N</b>	—	—
3/16" (5 mm)	24" x 48"	<b>300-362N</b>	<b>300-362F</b>	<b>300-362K</b>
3/16" (5 mm)	30" x 18"	<b>POL3163018</b>	—	—
3/16" (5 mm)	32" x 48"	<b>300-363N</b>	<b>300-363F</b>	<b>300-363K</b>
3/16" (5 mm)	36" x 36"	<b>300-365N</b>	—	—
3/16" (5 mm)	48" x 48"	<b>300-364N</b>	<b>300-364F</b>	<b>300-364K</b>
1/4" (6.5 mm)	24" x 48"	<b>300-142N</b>	<b>300-142F</b>	<b>300-142K</b>
1/4" (6.5 mm)	32" x 48"	<b>300-143N</b>	—	<b>300-143K</b>
1/4" (6.5 mm)	36" x 48"	<b>300-145N</b>	—	—
1/4" (6.5 mm)	48" x 48"	<b>300-144N</b>	<b>300-144F</b>	<b>300-144K</b>
3/8" (9.5 mm)	16" x 16"	<b>300-386N</b>	—	—
3/8" (9.5 mm)	24" x 48"	<b>300-382N</b>	—	—
3/8" (9.5 mm)	32" x 48"	<b>300-383N</b>	—	—
3/8" (9.5 mm)	48" x 48"	<b>300-384N</b>	—	—
1/2" (13 mm)	12" x 12"	<b>300-121N</b>	—	—
1/2" (13 mm)	16" x 16"	<b>300-126N</b>	—	—
1/2" (13 mm)	18" x 18"	<b>300-127N</b>	—	—

**Polypropylene (continued)**

Description	Sheet Size	Natural	Flesh	Black
1/2" (13 mm)	24" x 48"	<b>300-122N</b>	—	—
1/2" (13 mm)	32" x 48"	<b>300-123N</b>	—	—
1/2" (13 mm)	48" x 48"	<b>300-124N</b>	—	—
5/8" (16 mm)	16" x 16"	<b>300-586N</b>	—	—
5/8" (16 mm)	24" x 48"	<b>300-582N</b>	—	—
5/8" (16 mm)	32" x 48"	<b>300-583N</b>	—	—
5/8" (16 mm)	48" x 48"	<b>300-584N</b>	—	—

Plastics may be shipped via UPS up to a 32" x 48" sheet size. Any size larger than 32" x 48" must ship via freight truck

**Copolymer**

- Translucent white polypropylene with 5-10% polyethylene added
- Not as brittle as polypropylene
- Turns transparent at working temperature
- Suggested for almost all orthotic applications and prosthetic sockets
- Forming temperature: 350°
- May also be available in Light Blue, Light Pink, Red, Neon Green, and Neon Pink

Description	Sheet Size	Natural	Flesh	Black	Brown	Blue
3/32" (2.5 mm)	24" x 48"	<b>301-332N</b>	—	—	—	—
3/32" (2.5 mm)	32" x 48"	<b>301-333N</b>	—	—	—	—
3/32" (2.5 mm)	48" x 48"	<b>301-334N</b>	—	—	—	—
1/8" (3 mm)	24" x 48"	<b>1252448CL</b>	<b>1252448CA</b>	<b>1252448BK</b>	<b>301-182B</b>	<b>301-182BLU</b>
1/8" (3 mm)	32" x 48"	<b>1253248CL</b>	—	<b>301-183K</b>	—	—
1/8" (3 mm)	36" x 48"	<b>301-185N</b>	—	—	—	—
1/8" (3 mm)	48" x 48"	<b>301-184N</b>	—	—	—	—
5/32" (4 mm)	16" x 24"	<b>COP5321624</b>	—	—	—	—
5/32" (4 mm)	24" x 48"	<b>1562448CL</b>	—	—	—	—
5/32" (4 mm)	32" x 48"	<b>301-533N</b>	—	—	—	—
5/32" (4 mm)	48" x 48"	<b>301-534N</b>	—	—	—	—
3/16" (5 mm)	16" x 26"	<b>COP3161626</b>	—	—	—	—
3/16" (5 mm)	16" x 28"	<b>COP3161628</b>	—	—	—	—
3/16" (5 mm)	24" x 48"	<b>1872448CL</b>	<b>1872448CA</b>	<b>301-362K</b>	<b>301-362B</b>	<b>301-362BLU</b>
3/16" (5 mm)	32" x 48"	<b>301-363N</b>	<b>1873248CA</b>	<b>301-363K</b>	<b>301-363B</b>	<b>301-363BLU</b>
3/16" (5 mm)	48" x 48"	<b>1874848CL</b>	—	—	—	—
1/4" (6.5 mm)	16" x 26"	<b>COP141626</b>	—	—	—	—
1/4" (6.5 mm)	24" x 48"	<b>2502448CL</b>	<b>301-142F</b>	<b>COP142448</b>	—	—
1/4" (6.5 mm)	32" x 48"	<b>301-143N</b>	<b>301-143F</b>	<b>COP143248</b>	—	—
1/4" (6.5 mm)	48" x 48"	<b>301-144N</b>	—	—	—	—
3/8" (9.5 mm)	16" x 16"	<b>301-386N</b>	—	—	—	—
3/8" (9.5 mm)	24" x 48"	<b>301-382N</b>	—	—	—	—

## Copolymer (continued)


Description	Sheet Size	Natural	Flesh	Black	Brown	Blue
3/8" (9.5 mm)	32" x 48"	<a href="#">301-383N</a>	—	—	—	—
3/8" (9.5 mm)	48" x 48"	<a href="#">301-384N</a>	—	—	—	—
1/2" (13 mm)	16" x 16"	<a href="#">301-126N</a>	—	—	—	—
1/2" (13 mm)	24" x 48"	<a href="#">301-122N</a>	—	—	—	—
1/2" (13 mm)	32" x 48"	<a href="#">301-123N</a>	—	—	—	—
1/2" (13 mm)	48" x 48"	<a href="#">301-124N</a>	—	—	—	—

## Low Density Polyethylene (LDPE)

- Translucent white
- Transparent at working temperature
- Used for spinal and upper extremity orthoses
- 350° to 400° F

Description	Sheet Size	Product No.
1/32" (0.8 mm)	24" x 48"	<a href="#">302-132N</a>
1/32" (0.8 mm)	32" x 48"	<a href="#">302-133N</a>
1/32" (0.8 mm)	48" x 48"	<a href="#">302-134N</a>
1/16" (1.5 mm)	24" x 48"	<a href="#">302-162N</a>
1/16" (1.5 mm)	32" x 48"	<a href="#">302-163N</a>
1/16" (1.5 mm)	48" x 48"	<a href="#">302-164N</a>
3/32" (2.5 mm)	24" x 48"	<a href="#">302-332N</a>
3/32" (2.5 mm)	32" x 48"	<a href="#">302-333N</a>
1/8" (3 mm)	24" x 48"	<a href="#">302-182N</a>
1/8" (3 mm)	32" x 48"	<a href="#">302-183N</a>
1/8" (3 mm)	48" x 48"	<a href="#">302-184N</a>
5/32" (4 mm)	32" x 48"	<a href="#">302-533N</a>
3/16" (5 mm)	16" x 16"	<a href="#">302-366N</a>
3/16" (5 mm)	24" x 48"	<a href="#">302-362N</a>
3/16" (5 mm)	32" x 48"	<a href="#">302-363N</a>
3/16" (5 mm)	48" x 48"	<a href="#">302-364N</a>
1/4" (6.5 mm)	16" x 16"	<a href="#">302-146N</a>
1/4" (6.5 mm)	24" x 48"	<a href="#">302-142N</a>
1/4" (6.5 mm)	32" x 48"	<a href="#">302-143N</a>
1/4" (6.5 mm)	48" x 48"	<a href="#">302-144N</a>
3/8" (9 mm)	16" x 16"	<a href="#">302-386N</a>
3/8" (9 mm)	24" x 48"	<a href="#">302-382N</a>
3/8" (9 mm)	32" x 48"	<a href="#">302-383N</a>
1/2" (13 mm)	16" x 16"	<a href="#">302-126N</a>
1/2" (13 mm)	24" x 48"	<a href="#">302-122N</a>
1/2" (13 mm)	32" x 48"	<a href="#">302-123N</a>
1/2" (13 mm)	48" x 48"	<a href="#">302-124N</a>

Plastics may be shipped via UPS up to a 32" x 48" sheet size. Any size larger than 32" x 48" must ship via freight truck



### High Density Polyethylene (HDPE)

- Translucent white color; transparent at working Temperature
- Vacuum formable; crack resistant
- Rigid; minimal degree of memory
- Edges are easy to polish
- 350° to 400° F

Description	Sheet Size	Product No.
1/8" (3 mm)	24" x 48"	<a href="#">303-182N</a>
1/8" (3 mm)	32" x 48"	<a href="#">303-183N</a>
5/32" (4 mm)	32" x 48"	<a href="#">303-533N</a>
3/16" (5 mm)	24" x 48"	<a href="#">303-362N</a>
3/16" (5 mm)	32" x 48"	<a href="#">303-363N</a>
1/4" (6.5 mm)	32" x 48"	<a href="#">303-143N</a>
1/4" (6.5 mm)	48" x 48"	<a href="#">303-144N</a>

### Modified Polyethylene (MPE)

- Rigidity between copolymer and LDPE
- Improved tear resistance; moderate to light shrinkage
- Vacuum formable
- Color: Natural
- 350° to 400° F

Description	Sheet Size	Product No.
1/8" (3 mm)	24" x 48"	<a href="#">309-182</a>
1/8" (3 mm)	32" x 48"	<a href="#">309-183</a>
1/8" (3 mm)	48" x 48"	<a href="#">309-184</a>
5/32" (4 mm)	16" x 16"	<a href="#">309-536</a>
5/32" (4 mm)	24" x 48"	<a href="#">309-532</a>
5/32" (4 mm)	32" x 48"	<a href="#">309-533</a>
5/32" (4 mm)	48" x 48"	<a href="#">309-534</a>
3/16" (5 mm)	16" x 16"	<a href="#">309-366</a>
3/16" (5 mm)	24" x 48"	<a href="#">309-362</a>
3/16" (5 mm)	32" x 48"	<a href="#">309-363</a>
3/16" (5 mm)	48" x 48"	<a href="#">309-364</a>
1/4" (6.5 mm)	16" x 16"	<a href="#">309-146</a>
1/4" (6.5 mm)	24" x 48"	<a href="#">2502448LL</a>
1/4" (6.5 mm)	32" x 48"	<a href="#">309-143</a>
1/4" (6.5 mm)	48" x 48"	<a href="#">309-144</a>
3/8" (9.5 mm)	16" x 16"	<a href="#">309-386</a>
3/8" (9.5 mm)	24" x 48"	<a href="#">309-382</a>
3/8" (9.5 mm)	32" x 48"	<a href="#">309-383</a>
3/8" (9.5 mm)	48" x 48"	<a href="#">309-384</a>
1/2" (13 mm)	16" x 16"	<a href="#">309-126</a>
1/2" (13 mm)	24" x 48"	<a href="#">309-122</a>
1/2" (13 mm)	32" x 48"	<a href="#">309-123</a>
1/2" (13 mm)	48" x 48"	<a href="#">309-124</a>



Fabrication  
Supplies

## Durr-Plex

- A transparent low temperature co-polyester material suitable for fabrication of clear check sockets
- Can be spot heated and hand formed
- Forming temperature: 300° to 325° F
- For more sizing options, see Vivak

Size	1/8"	3/16"	1/4"	3/8"
12" x 12"	—	—	—	304-381
16" x 16"	304-186	304-366	304-146	3751616PT
24" x 48"	304-182	304-362	304-142	304-382
36" x 48"	168039	304-365	304-145	304-385

Any sheet larger than 32" x 48" must ship via freight truck

## Fillauer CenPlex

- Ideal for check sockets, BK sockets, AK sockets and orthoses
- Skin friendly transparent thermoplastic
- No shrinkage, flexible and easy to form
- 12 mm; 400 mm x 400 mm sheet size

Product No. **638400012**

## Endolite - Northvane

- 76% Low density polyethylene; 24% EVA
- Soft flexible plastic
- Molding temperature: 302° F
- Excellent tear resistance - can be stitched or riveted

Description	Sheet Size	Black	Natural
1/4" (6.5 mm)	16" x 16"	NVANESQ406B6	NVANESQ406N6
1/4" (6.5 mm)	32" x 48"	—	NVANEN6
3/8" (9 mm)	16" x 16"	NVANESQ406B9	NVANESQ406N9
3/8" (9 mm)	18" x 18"	NVANESQ508B9	NVANESQ508N9
3/8" (9 mm)	32" x 48"	—	NVANEN9
1/2" (13 mm)	16" x 16"	NVANESQ406B12	NVANESQ406N12
1/2" (13 mm)	18" x 18"	NVANESQ508B12	NVANESQ508N12
1/2" (13 mm)	32" x 48"	—	NVANEN12
5/8" (16 mm)	16" x 16"	NVANESQ406B16	NVANESQ406N16
5/8" (16 mm)	18" x 18"	NVANESQ508B16	NVANESQ508N16



**Northplex (P.E.T.G.)**

- Used in test sockets and burn face masks
- P.E.T.G Copolyester; clear; no shrinkage; notch sensitive
- Rigid and strong; 80 to 90% the impact strength of polycarbonate (used in bullet proof glass)

Description	Sheet Size	Product No.
1/2" (13 mm)	16" x 16"	<a href="#">NPLEXSQ406N12</a>
5/8" (16 mm)	16" x 16"	<a href="#">NPLEXSQ406N15</a>
1/4" (6 mm)	16" x 16"	<a href="#">NPLEXSQ406N6</a>
3/8" (9 mm)	16" x 16"	<a href="#">NPLEXSQ406N9</a>



**SeaFlex**

- Used in flexible sockets
- 24% EVA/76% LDPE
- Excellent tear resistance, can be stitched or riveted
- 200 is Medium; 300 is Stiff

Description	Sheet Size	200 Grade (Medium)	300 Grade (Stiff)
1/8" (3 mm)	16" x 16"	<a href="#">SFLEX200SQ406N3</a>	<a href="#">SFLEX300SQ406N3</a>
1/8" (3 mm)	32" x 48"	<a href="#">SFLEX200N3</a>	<a href="#">SFLEX300N3</a>
3/16" (5 mm)	32" x 48"	<a href="#">SFLEX200N4.8</a>	<a href="#">SFLEX300N4.8</a>
1/4" (6 mm)	16" x 16"	<a href="#">SFLEX200SQ406N6</a>	<a href="#">904397</a>
3/8" (9 mm)	16" x 16"	<a href="#">SFLEX200SQ406N9</a>	<a href="#">SFLEX300SQ406N9</a>

**Silver Shield**

- Silver antimicrobial additive inhibits development of bacteria
- Laboratory tested against staphylococcus aureus and E. Coli
- Helps reduce production of odors
- Medically and environmentally safe, non-toxic and non-irritating
- Long term antibacterial effect
- Physical and molding characteristic of Northvan and SeaFlex

Size	Thickness	Product No.
16" x 16"	6 mm - 1/4"	<a href="#">NSSSQ406N6</a>
16" x 16"	9 mm - 3/8"	<a href="#">NSSSQ406N9</a>
16" x 16"	12 mm - 1/2"	<a href="#">NSSSQ406N12</a>
16" x 16"	16 mm - 5/8"	<a href="#">NSSSQ406N16</a>
18" x 18"	9 mm - 3/8"	<a href="#">NSSSQ508N9</a>
18" x 18"	12 mm - 1/2"	<a href="#">NSSSQ508N12</a>
18" x 18"	16 mm - 5/8"	<a href="#">NSSSQ508N16</a>
32" x 48"	3.2 mm - 1/8"	<a href="#">NSSN3</a>
32" x 48"	4.8 mm - 3/16"	<a href="#">NSSN4.8</a>
32" x 48"	6 mm - 1/4"	<a href="#">NSSN6</a>
32" x 48"	9 mm - 3/8"	<a href="#">NSSN9</a>
32" x 48"	12 mm - 1/2"	<a href="#">NSSN12</a>



**Orfit Industries America - Orfitrans™ Stiff**

- Clear/slightly opaque and rigid thermoplastic material
- Designed for cost-effective prosthetic “Check Socket” applications
- High impact resistance, will not break, crack, or shatter when dropped
- Easy to drill, thermoformable; allows bolting of adapter to distal end
- Biodegradable Earth-friendly material
- Forming temperature: 338°



Description	Sheet Size	Product No.
1/2" (12 mm)	16" x 16"	<b>OS1012</b>
3/8" (10 mm)	16" x 16"	<b>OS1038</b>
5/16" (8 mm)	16" x 16"	<b>OS10516</b>
5/8" (15 mm)	16" x 16"	<b>OS1058</b>
1/2" (12 mm)	24" x 24"	<b>OS12412</b>

**Orfitrans™ Soft**

- Semi-transparent thermoplastic material with low stiffness and impact resistance
- Forming temperature: 302°

Description	Sheet Size	Product No.
1/4" (6 mm)	16" x 16"	<b>OS2014</b>
5/16" (8 mm)	16" x 16"	<b>OS20516</b>
7/16" (11 mm)	16" x 16"	<b>OS20716</b>



**COPE Plastics - Proflex and Proflex with Silicone**

- Clear flexible socket material
- Blister or vacuum formable
- Self-adhesive when hot
- Forming temperature: 325° F


Description	Sheet Size	Product No.	
		Proflex	Proflex with Silicone
3/16" (5 mm)	24" x 48"	—	307-362
3/16" (5 mm)	32" x 48"	306-363	307-363
1/4" (6.5 mm)	12" x 12"	306-141	307-141
1/4" (6.5 mm)	16" x 16"	306-146	307-146
1/4" (6.5 mm)	18" x 18"	306-147	307-147
1/4" (6.5 mm)	24" x 48"	306-142	307-142
1/4" (6.5 mm)	32" x 48"	306-143	307-143
1/4" (6.5 mm)	48" x 48"	306-144	307-144
1/8" (3 mm)	16" x 16"	—	307-186
1/8" (3 mm)	18" x 18"	—	307-187
1/8" (3 mm)	24" x 48"	—	307-182
1/8" (3 mm)	32" x 48"	—	307-183
3/8" (9 mm)	12" x 12"	306-381	307-381
3/8" (9 mm)	16" x 16"	306-386	307-386
3/8" (9 mm)	18" x 18"	306-387	307-387
3/8" (9 mm)	24" x 48"	306-382	307-382
3/8" (9 mm)	32" x 48"	306-383	307-383
3/8" (9 mm)	48" x 48"	306-384	307-384
1/2" (13 mm)	12" x 12"	306-121	307-121
1/2" (13 mm)	16" x 16"	306-126	307-126
1/2" (13 mm)	18" x 18"	306-127	307-127
1/2" (13 mm)	20" x 20"	306-120	307-120
1/2" (13 mm)	24" x 48"	306-122	307-122
1/2" (13 mm)	32" x 48"	306-123	307-123
1/2" (13 mm)	48" x 48"	306-124	307-124

## Surlyn

- Turns transparent at working temperatures
- Vacuum formable
- Spot relief may be done at low temperature with bare hands
- Forming temperature: 325° F

Description	Sheet Size	Product No.
1/8" (3 mm)	16" x 16"	<a href="#">305-186</a>
1/8" (3 mm)	24" x 48"	<a href="#">305-182</a>
1/8" (3 mm)	32" x 48"	<a href="#">305-183</a>
1/8" (3 mm)	48" x 48"	<a href="#">305-184</a>
3/16" (5 mm)	16" x 16"	<a href="#">305-366</a>
3/16" (5 mm)	24" x 48"	<a href="#">305-362</a>
3/16" (5 mm)	32" x 48"	<a href="#">305-363</a>
3/16" (5 mm)	48" x 48"	<a href="#">305-364</a>
1/4" (6.5 mm)	12" x 12"	<a href="#">305-141</a>
1/4" (6.5 mm)	16" x 16"	<a href="#">305-146</a>
1/4" (6.5 mm)	24" x 48"	<a href="#">305-142</a>
1/4" (6.5 mm)	32" x 48"	<a href="#">305-143</a>
1/4" (6.5 mm)	48" x 48"	<a href="#">305-144</a>
3/8" (9 mm)	12" x 12"	<a href="#">305-381</a>
3/8" (9 mm)	16" x 16"	<a href="#">305-386</a>
3/8" (9 mm)	24" x 48"	<a href="#">305-382</a>
3/8" (9 mm)	32" x 48"	<a href="#">305-383</a>
3/8" (9 mm)	48" x 48"	<a href="#">305-384</a>
1/2" (13 mm)	12" x 12"	<a href="#">305-121</a>
1/2" (13 mm)	16" x 16"	<a href="#">305-126</a>
1/2" (13 mm)	20" x 20"	<a href="#">305-120</a>
1/2" (13 mm)	24" x 48"	<a href="#">305-122</a>
1/2" (13 mm)	32" x 48"	<a href="#">305-123</a>
1/2" (13 mm)	48" x 48"	<a href="#">305-124</a>

Any size larger than 32" x 48" must ship via freight truck



**Vivak®**

- Also known as PETG or Co-Polyester
- Stiff, even at working temperatures
- Vacuum formable; transparent color
- Self-adhesive when hot
- See Also Durrplex for additional sizes

Description	Sheet Size	Product No.
1/8" (3 mm)	12" x 12"	<b>304-181</b>
1/8" (3 mm)	16" x 16"	<b>304-186</b>
1/8" (3 mm)	24" x 48"	<b>304-182</b>
1/8" (3 mm)	32" x 48"	<b>304-183</b>
1/8" (3 mm)	48" x 48"	<b>304-184</b>
3/16" (5 mm)	16" x 16"	<b>304-366</b>
3/16" (5 mm)	24" x 48"	<b>1872448PT</b>
3/16" (5 mm)	24" x 48"	<b>304-362</b>
3/16" (5 mm)	32" x 48"	<b>304-363</b>
3/16" (5 mm)	48" x 48"	<b>304-364</b>
1/4" (6.5 mm)	12" x 12"	<b>304-141</b>
1/4" (6.5 mm)	16" x 16"	<b>304-146</b>
1/4" (6.5 mm)	18" x 18"	<b>304-147</b>
1/4" (6.5 mm)	20" x 20"	<b>304-140</b>
1/4" (6.5 mm)	24" x 48"	<b>304-142</b>
1/4" (6.5 mm)	32" x 48"	<b>304-143</b>
1/4" (6.5 mm)	36" x 48"	<b>304-145</b>
1/4" (6.5 mm)	48" x 48"	<b>304-144</b>
3/8" (9.5 mm)	12" x 12"	<b>304-381</b>
3/8" (9.5 mm)	16" x 16"	<b>3751616PT</b>
3/8" (9.5 mm)	18" x 18"	<b>3751818PT</b>
3/8" (9.5 mm)	20" x 20"	<b>304-380</b>
3/8" (9.5 mm)	24" x 48"	<b>304-382</b>
3/8" (9.5 mm)	32" x 48"	<b>304-383</b>
3/8" (9.5 mm)	48" x 48"	<b>304-384</b>
1/2" (13 mm)	12" x 12"	<b>304-121</b>
1/2" (13 mm)	16" x 16"	<b>5001616PT</b>
1/2" (13 mm)	18" x 18"	<b>5001818PT</b>
1/2" (13 mm)	20" x 20"	<b>304-120</b>
1/2" (13 mm)	24" x 48"	<b>5002448PT</b>
1/2" (13 mm)	32" x 48"	<b>304-123</b>
1/2" (13 mm)	48" x 48"	<b>304-124</b>
Any size larger than 32" x 48" must ship via freight truck		

## Fillauer - Thermoflex

- Soft flexible plastic
- For flexible sockets
- Features no shrinkage, skin friendly, transparent, thermoplastic, flexible, easy to form, durable
- Provides good seating comfort, good blood circulation, good attachment to the skin

Description	Density	Sheet Size	Product No.
9 mm	Soft	16" x 16"	<b>637400009</b>
9 mm	Soft	32" x 48"	<b>637120009</b>
12 mm	Soft	16" x 16"	<b>637400012</b>
12 mm	Soft	32" x 48"	<b>637120012</b>
Any size larger than 32" x 48" must ship via freight truck			



## Eyelets

- Sold 100 per bag

Description	Sold by	Product No.
A60 <sup>5</sup> / <sub>16</sub> "	pack	<b>0755310</b>
9E <sup>3</sup> / <sub>16</sub> "	bag	<b>9E</b>
15E <sup>1</sup> / <sub>4</sub> " nickel-plated brass	bag	<b>15E</b>



## Patella Button

Description	Product No.
Aluminum	<b>51882</b>
Stainless Steel	<b>51883</b>
Screw	<b>51884</b>
Buckle	<b>51886</b>



## Wagon Box Rivets

- Nickelplated Steel
- <sup>3</sup>/<sub>16</sub>" x 1"


Product No. **7113-10**



## Nyloplex Rivets with Heads

- Sold each

A	B	C	D	Product No.
10 mm	1.5 mm	10 mm	4 mm	<b>886820</b>
10 mm	1.5 mm	10 mm	5 mm	<b>886822</b>
24 mm	1.5 mm	12 mm	4 mm	<b>886824</b>



### Monel Rivets

- Flat Head, 100 per pack

Description	Product No.
1/8" x 1/2"	<b>MR-05</b>
1/8" x 3/4"	<b>MR-34</b>



### Rapid Rivets

- Brass, nickel plated
- Cap diameter: 11 mm (7/16")
- Packed 1000 caps and posts per bag

Post Height	Product No.
3/8"	<b>89X</b>
7/16"	<b>91X</b>



### Rapid Rivet Small


- Brass, zinc plated
- Cap diameter: 7 mm (9/32"); Post length: 9.5 mm (3/8")
- Material thickness range: 4.5 to 7.5 mm

Description	100/pack	1000/pack
Single Head	<b>SSH-100</b>	<b>SSH-1000</b>
Double Head	<b>SHD-100</b>	<b>SDH-1000</b>

### Rapid Rivet Medium

- Brass, zinc plated; Cap diameter 11 mm (7/16");
- Post length: 9 mm (5/16") or 11 mm (7/16")
- Material thickness range:
  - 9 mm rivet (4 to 7 mm)
  - 11 mm rivet (6 mm to 9 mm)

Description	100/pack	1000/pack
9 mm Single Head	<b>MSH 3/8-100</b>	<b>MSH 3/8-1000</b>
9 mm Single Head	<b>MDH 3/8-100</b>	<b>MDH 3/8-1000</b>
11 mm Single Head	<b>MSH 1/2-100</b>	<b>MSH 1/2-1000</b>
11 mm Single Head	<b>MDH 1/2-100</b>	<b>MDH 1/2-1000</b>



### Rapid Rivet Large

- Brass, zinc plated
- Cap diameter: 13 mm (1/2")
- Post length: 14 mm (9/16")
- Material thickness range: 7 to 11 mm

Description	100/pack	1000/pack
Single Head	<b>LSH-100</b>	<b>LSH-1000</b>
Double Head	<b>LDH-100</b>	<b>LDH-1000</b>



**Brass Rivets**

- Brass, nickel plated
- Double head
- Sold per 100
- Male is slotted, female is not slotted


Size	Diameter	Length	Product No.
Small	1 <sup>1</sup> / <sub>32</sub> "	1 <sup>1</sup> / <sub>4</sub> "	<b>886840</b>
Medium	7 <sup>7</sup> / <sub>16</sub> "	5 <sup>5</sup> / <sub>16</sub> "	<b>886842</b>
Large	1 <sup>1</sup> / <sub>2</sub> "	3 <sup>3</sup> / <sub>8</sub> "	<b>886844</b>



**Nickel Plated Burrs/Rivets**

- Rivets sold per pound
- Burrs sold per 1/2 pound

Nickel Plated Rivets		
Description	Length	Product No.
#8	3 <sup>3</sup> / <sub>4</sub> "	<b>886850</b>
#8	1 <sup>1</sup> / <sub>4</sub> "	<b>886851</b>
#9	3 <sup>3</sup> / <sub>4</sub> "	<b>886848</b>
#9	1 <sup>1</sup> / <sub>4</sub> "	<b>886849</b>
#10	3 <sup>3</sup> / <sub>4</sub> "	<b>886852</b>
#10	1 <sup>1</sup> / <sub>4</sub> "	<b>886853</b>
#12	1"	<b>886854</b>
#14	3 <sup>3</sup> / <sub>4</sub> "	<b>886856</b>
Nickel Plated Burrs		
Description	Product No.	
#8	<b>887859</b>	
#9	<b>887860</b>	
#10	<b>887861</b>	
#12	<b>887862</b>	



**Copper Rivets and Burrs**


- Sold per pound

Description	1 <sup>1</sup> / <sub>2</sub> "	3 <sup>3</sup> / <sub>4</sub> "	1"	1 <sup>1</sup> / <sub>4</sub> "	1 <sup>1</sup> / <sub>2</sub> "	Burr
#7	—	<b>9B0748</b>	<b>9B0764</b>	—	<b>9B0772</b>	<b>9C0700</b>
#8	<b>9B0832</b>	<b>9B0848</b>	<b>9B0864</b>	<b>9B0868</b>	<b>9B0872</b>	<b>9C0800</b>
#9	<b>9B0932</b>	<b>9B0948</b>	<b>9B0964</b>	<b>9B0968</b>	<b>9B0972</b>	<b>9C0900</b>
#10	<b>9B1032</b>	<b>9B1048</b>	<b>9B1064</b>	<b>9B1068</b>	<b>9B1072</b>	<b>9C1000</b>
#12	<b>9B1232</b>	<b>9B1248</b>	<b>9B1264</b>	<b>9B1268</b>	<b>9B1272</b>	<b>9C1200</b>
#13	<b>9B1332</b>	—	<b>9B1356</b>	—	—	<b>9C1300</b>
#14	<b>9B1432</b>	<b>9B1448</b>	<b>9B1464</b>	—	<b>9B1440</b>	<b>9C1400</b>
#15	<b>9B1532</b>	—	—	—	—	—



Rivet & Burr Measurements (in inches)							
	7	8	9	10	12	13	14
<b>Rivets</b>							
A	9/16	1/2	15/32	7/16	3/8	11/32	5/16
B	.191	.181	.161	.151	.137	.118	.102
C	.175	.165	.145	.135	.123	.105	.092
<b>Burrs</b>							
D	.500	.469	.438	.406	.360	.344	.313
E	.176	.166	.146	.138	.124	.106	.093

A = Dia. of Head  
 B = Dia. under Head  
 C = Dia. at Tip of Shank  
 D = Dia. of Outside  
 E = Dia. of Inside



**Stainless Steel Rivets**

A. Universal Head (sold individually)	
Description	Product No.
3/16" x 9/16"	095013
5/32" x 5/8"	20765-001

B. Flat Head (box of 100)	
Description	Product No.
1/8" x 1"	7131-10

C. Oval Head (box of 100)	
Description	Product No.
1/8" x 5/8"	886870
5/32" x 1/4"	886871
5/32" x 5/8"	886872
5/32" x 11/32"	886873
3/16" x 3/8"	886874
3/16" x 9/16"	886876

D. 90° CKS Head (box of 100)	
Description	Product No.
5/32" x 1/2"	886881
5/32" x 9/16"	886882



Fabrication  
Supplies



**Stainless Steel Screws**

Slotted Truss Head Screw (sold each)	
Description	Product No.
3/8" x 10-32	107009
1/8" x 8-32	21128-001
3/8" x 8-32	113010

Phillips Truss Head Screw (sold each)	
Description	Product No.
1/2" x 8-32	113014
3/4" x 8-32	113018

Flat Head Screw (set of 4)	
Description	Product No.
6 mm x 55 mm	700-B092



Fabrication  
Supplies

**Chicago Screws**

- Comes with both head and post


Description	Package Qty	Product No.
1/4" with ribs hex head	25	101H201
1/2" with ribs hex head	25	101H202
3/8" aluminum with hole	50	93121A330
1/4" x 8-32. screw	25	67-001-B-N
1/4" Chicago screw-post	25	68-001-B-N



**Roller Buckle 61**

- 100 per pack
- Sizes: 5/8" and 3/4"
- Replace ? with size

Product No. 61 ?



**Heel Buckle**

- 100 per pack
- Sizes: 1/2", 5/8", 3/4"
- Replace ? with size

Product No. 41 ?





**PTB Combination with Keeper**

- 100 per pack

Description	Product No.
1/2" (4051)	214411
5/8" (4055)	214429
3/4" (4057)	214437



**1" Safety Buckle**

- 100 per pack

Product No.	70178
-------------	-------



**2" Safety Buckle**

- 100 per pack

Product No.	2SBM
-------------	------



**Metal Straps Buckle Concave**

- 100 per package

Description	Product No.
1/2"	40 <sup>1</sup> / <sub>2</sub> "
5/8"	40 <sup>5</sup> / <sub>8</sub> "
3/4"	40 <sup>3</sup> / <sub>4</sub> "
7/8"	40 <sup>7</sup> / <sub>8</sub> "
1"	40 1"



**3/4" Buckle**

- Sold individually

Product No.	51886
-------------	-------



**Friction Buckle with Roller**

- 100 per pack
- Sizes: 1", 1<sup>1</sup>/<sub>8</sub>", or 1<sup>1</sup>/<sub>2</sub>"
- Replace ? with size

Product No.	49 ?
-------------	------



Fabrication  
Supplies

## Metal Truss Catches

- 100 per package


Description	Product No.
1"	<b>1TC</b>
3/4"	<b>34TC</b>
1 1/8"	<b>118TC</b>
1 3/4"	<b>138TC</b>



## Hook and Eye

- Sold individually


Description	Product No.
2" Hook	<b>5B70462H</b>
2" Eye	<b>5B70462E</b>



## Four Bar Buckle

- Sold 4 per package

Description	Product No.
1/2"	<b>51026-P</b>
3/4"	<b>51027-P</b>
1"	<b>51028-P</b>



## Rounded Double Slide

- 100 per pack

Description	Product No.
1"	<b>1DSBR</b>
1 1/2"	<b>15DSBR</b>
1"	<b>2DSBR</b>



## Stainless Steel Loops

- 25 per pack

Description	Product No.
1" x 3/16"	<b>214353</b>
1 1/2" x 3/16"	<b>214361</b>
2" x 3/16"	<b>214379</b>



### Metal Rectangular Loops

- 100 per package


Description	Size	Product No.
Square	1/2"	14 <sup>1</sup> / <sub>2</sub> "
Oblong D Ring	5/8"	58M100
Oblong D Ring	1"	1M100
Rectangular Loop	1 <sup>1</sup> / <sub>2</sub> "	15M100
Rectangular Loop	2"	2M100
Rectangular Loop	3/4"	34M100



### Oval Loops

- 100 per pack

Description	Product No.
5/8"	58OL
3/4"	34OL
1"	1OL
1 <sup>1</sup> / <sub>2</sub> "	15OL
2"	2OL



### D-Ring

- 100 per pack


Description	Product No.
1/2"	10X 1/2"
1"	10X 1"
1 <sup>1</sup> / <sub>4</sub> "	10X 1 <sup>1</sup> / <sub>4</sub> "
1 <sup>1</sup> / <sub>2</sub> "	10X 1 <sup>1</sup> / <sub>2</sub> "
2"	10X 2



### Nylon Plastic Loop for Velcro

- 25 per bag

Description	White	Red	Blue	Black
1" x 5/32"	214460	214460R	214460B	214460BLK
1 <sup>1</sup> / <sub>2</sub> " x 5/32"	214478	214478R	214478B	214478BLK
2" x 5/32"	214486	214486R	214486B	214486BLK



### Loop and Roller 100

- 1" White
- 100 per package

Product No. **CT-1000W-20MRR**



## Chafe Tabs and Loops

- Made from strong plastic and welded steel wire
- Available sizes: 1", 1½", 2"

Color	1"	1½"	2"
White	301	3015	302
Black	301B	3015B	302B
Beige	301BG	3015BG	302BG

## Plastic Chafe with Metal Link

- 25 per package

Size	Product No.	
	White	Black
1"	CWH10L	CBL10L
1.5"	CWH15L	CBL15L
2"	CWH20L	CBL20L



Fabrication  
Supplies

## Low Profile Washer Reinforced Ring Tabs

- 50 per package
- Available in other colors

Color	1"	1½"	2"
Black	1LWR	15LWR	2LWR
Royal Blue	1RBWR	15RBWR	2RBWR
White	1WWR	15WWR	2WWR
Beige	1BWR	15BWR	2BWR



## Colored Chafes with Stainless Steel Loops

- Sold 25 per pack


Color	1"	Triangle		Rectangle
		1½"	2"	2"
Beige	214185-02	214187-02	214190-02	214199-02
Red	214185-04	214187-04	214190-04	214199-04
Blue	214185-09	214187-09	214190-09	214199-09
Brown	214185-11	214187-11	214190-11	214199-11
Black	214185-14	214187-14	214190-14	214199-14
Sky Blue	214185-18	214187-18	214190-18	214199-18
Pink	214185-29	214187-29	214190-29	214199-29
White	214185	214187	214190	214199



**Colored Chafes with Delrin 100 Loops**

- Sold 25/pack

Color	Triangle			Rectangle
	1"	1 1/2"	2"	2"
Beige	214285-02	214287-02	214290-02	214299-02
Red	214285-04	214287-04	214290-04	214299-04
Blue	214285-09	214287-09	214290-09	214299-09
Brown	214285-11	214287-11	214290-11	214299-11
Black	214285-14	214287-14	214290-14	214299-14
Sky Blue	214285-18	214287-18	214290-18	214299-18
Pink	214285-29	214287-29	214290-29	214299-29
White	214285	214287	214289	214299



**Plastic White Nylon Chafes - Triangular**

Size	Package Size	Standard Chafe	Chafe with Zytel Loop	Chafe with SS Loop
1"	25	214085	214285	214185
1 1/2"	25	214087	214287	214187
1 1/2"	100	15WCHE	—	15MWCHE
2"	25	214089	214289	214190
2"	100	2WCHE	—	2MWCHE



Fabrication  
Supplies

**White Nylon Chafes 2" Rectangular**

- Nylon molded
- 25 per package

Size	Chafe Only	Chafe with Plastic Loop	Chafe with SS Loop
2"	214099	214299	214199



**Chafes with Roller Rings**

- 100 per package

Color	Product No.		
	1" Width	1 1/2" Width	2" Width
White	1MWCHERR	15MWCHERR	2MWCHERR
Beige	1MBCHERR	15MBCHERR	2MBCHERR
Black	1MLCHERR	15MLCHERR	2MLCHERR



**Push Receptor**

- High tensile strength receptor receives and retains all 1" ladder strap configurations; micro adjustable; no mechanical advantage
- High strength ladder strap attaches with rivet or screw

**Product No. R1M2**

Ladder Straps		
Description	Size	Product No.
For 1" Push Receptor	11"	<b>LS111</b>
	13"	<b>LS113</b>
For .75" Push Receptor	8"	<b>LS7-8</b>
	10"	<b>LS7-10</b>



**Ratchet Buckle**

- High tensile strength ratcheting buckle provides mechanical leverage with micro adjustability;
- High strength ladder strap attaches with rivet or screw

Description	Product No.
0.7 Ratchet Buckle	<b>RB7</b>
.7 black, blue, white Ratchet Buckle	<b>RB7-BLK.BLU.WHT</b>
.7 black, orange, white Ratchet Buckle	<b>RB7-BLK.ORG.WHT</b>
.75" Ratchet Buckle	<b>RB75</b>
.75" Ratchet Buckle with anti-rotation base	<b>RB75-T</b>
1" black, orange, white Ratchet Buckle	<b>RB1</b>

Ladder Straps		
Description	Size	Product No.
For 1" Push Buckle	11"	<b>LS111</b>
	13"	<b>LS113</b>
For .75" Buckle	8"	<b>LS7-8</b>
	10"	<b>LS7-10</b>
For .50" Buckle	5"	<b>LS6-5</b>



**Assymetrical Ratchet Buckle**

- Low profile, asymmetric ratcheting buckle provides mechanical leverage with micro adjustability; allows patients to independently and precisely control fit and function
- High strength ladder strap attaches with rivet or screw

Description	Product No.	
	Right	Left
0.7 Asymmetrical Ratchet Buckle	<b>RB7</b>	<b>RB7</b>
.50 Asymmetrical Ratchet Buckle	<b>RB5-R</b>	<b>RB5-L</b>
.75 Asymmetrical Ratchet Buckle	<b>RB75</b>	<b>RB75</b>



**Ladder Strap for Assymetrical Ratchet Buckle**

Ladder Strap		
Description	Length	Product No.
For .70" Buckle	8"	LS7-8
	10"	LS7-10
For .75" Buckle	9"	LS75-9
	14"	LS75-14
For .60" Buckle	5"	LS6-5



**WBC Industries - WBC Hook and Loop, Sew Quality (Non-Adhesive)**

- 25 yard rolls
- Also available in other colors

Type	Color	Product No.					
		1/2"	5/8"	3/4"	1"	1 1/2"	2"
Hook	White	05WH	58WH	34WH	1WH	15WH	2WH
Hook	Beige	—	58BH	34BH	1BH	15BH	2BH
Hook	Black	05LH	58LH	34LH	1LH	15LH	2LH
Loop	White	05WL	58WL	34WL	1WL	15WL	2WL
Loop	Beige	—	58BL	34BL	1BL	15BL	2BL
Loop	Black	05LL	58LL	34LL	1LL	15LL	2LL



Fabrication  
Supplies

**WBC Hook and Loop, Sew Quality (Adhesive Backed)**

- 25 yard rolls
- Other colors available: Red, Yellow, Kelly Green, Purple, Orange, Royal Blue, Light Gray, Slate Gray, Light Blue, Pink, Brown, Navy Blue, Olive Green, Neon Yellow, Neon Orange, Neon Green, Neon Pink, Burgundy
- Indicate desired color when ordering



Type	Color	Product No.				
		5/8"	3/4"	1"	1 1/2"	2"
Hook	White	58WHPS	34WHPS	1WHPS	15WHPS	2WHPS
Hook	Beige	58BHPS	34BHPS	1BHPS	15BHPS	2BHPS
Hook	Black	58LHPS	34LHPS	1LHPS	15LHPS	2LHPS
Loop	White	58WLPS	34WLPS	1WLPS	15WLPS	2WLPS
Loop	Beige	58BLPS	34BLPS	1BLPS	15BLPS	2BLPS
Loop	Black	58LLPS	34LLPS	1LLPS	15LLPS	2LLPS

**Velcro Elastic Loop**

- 40 yard rolls, White

Description	Product No.
3/4"	195484
1"	195480



**Velcro Velwrap C-Fold Loop**

- 25 yard rolls

Color	Product No.		
	1"	1 1/2"	2"
White	<b>1WFOLD</b>	<b>15WFOLD</b>	<b>2WFOLD</b>
Black	<b>1LFOLD</b>	<b>15LFOLD</b>	<b>2LFOLD</b>
Beige	<b>1BFOLD</b>	<b>15BFOLD</b>	<b>2BFOLD</b>



**Velstretch Loop**

Color	Roll Size	Product No.		
		1"	1 1/2"	2"
Black	40 yds	<b>WBCVEL1L4</b>	<b>WBCVEL15L4</b>	<b>WBCVEL2L4</b>
White	40 yds	<b>WBCVEL1W4</b>	<b>WBCVEL15W4</b>	<b>WBCVEL2W4</b>
Beige	40 yds	<b>WBCVEL1B4</b>	<b>WBCVEL15B4</b>	<b>WBCVEL2B4</b>
Black	10 yds	<b>WBCVEL1L</b>	<b>WBCVEL15L</b>	<b>WBCVEL2L</b>
White	10 yds	<b>WBCVEL1W</b>	<b>WBCVEL15W</b>	<b>WBCVEL2W</b>
Beige	10 yds	<b>WBCVEL1B</b>	<b>WBCVEL15B</b>	<b>WBCVEL2B</b>

**Velcro Straps**

- White, pack of 10

Description	Product No.
1 x 14	<b>213033</b>
1 1/2 x 18	<b>213223</b>
2 x 14	<b>213256</b>
2 x 18	<b>213264</b>

**Dacron Hook & Loop Straps**

- 1.5" x 18"
- Sold in packages of 10

Product No. **1518WDS**



**Vinyl-Backed Hook and Loop Straps**

- Soft orthopedic vinyl-backed hook and loop straps, electronically sealed and backed with a waterproof, marine grade vinyl
- Soft, flexible and very patient friendly
- 10 per package
- Color: Sandstone, White and Black

Description	Product No.		
	White	Black	Sandstone
1" x 18"	<b>LLS118W</b>	<b>LLS118L</b>	<b>LLS118SS</b>
1 1/2" x 18"	<b>LLS1518W</b>	<b>LLS1518L</b>	<b>LLS1518SS</b>
2" x 18"	<b>LLS218W</b>	<b>LLS218L</b>	<b>LLS218SS</b>






**Washer-Reinforced Hook and Loop Straps**

- With a plastic washer Ultrasonically welded into the hook end and completely encased in the material
- Great for AFOs and KAFOs
- 25 per package; Additional colors available

Description	Product No.		
	White	Beige	Black
1" x 12"	112WWASH	112BWASH	112LWASH
1" x 16"	116WWASH	116BWASH	116LWASH
1" x 20"	120WWASH	120BWASH	120LWASH
1 1/2" x 12"	1512WWASH	1512BWASH	1512LWASH
1 1/2" x 16"	1516WWASH	1516BWASH	1516LWASH
1 1/2" x 20"	1520WWASH	1520BWASH	1520LWASH
2" x 12"	212WWASH	212BWASH	212LWASH
2" x 16"	216WWASH	216BWASH	216LWASH
2" x 20"	220WWASH	220BWASH	220LWASH



**WBC 50/50 Straps**

- Half hook and half loop welded together.
- 25 per package; Additional colors available

Description	Product No.		
	White	Black	Beige
1" x 12"	H112WS	H112LS	H112BS
1" x 16"	H116WS	H116LS	H116BS
1" x 20"	H120WS	H120LS	H120BS
1 1/2" x 12"	H1512WS	H1512LS	H1512BS
1 1/2" x 16"	H1516WS	H1516LS	H1516BS
1 1/2" x 20"	H1520WS	H1520LS	H1520BS
2" x 14"	H214WS	H214LS	H214BS
2" x 18"	H218WS	H218LS	H218BS
2" x 22"	H222WS	H222LS	H222BS
2" x 24"	H224WS	H224LS	H224BS

**Deluxe "C" Fold Adjustable Strap Kit**

- C Fold with round hook sewn on one end
- Each strap comes with a metal link and chafe; end is welded with 3 cutting lines for easy size adjustment without fraying
- Sold in packages of 5

Description	Product No.	
	White Strap Kit	Beige Strap Kit
1" x 18"	DCFS1018W	DCFS1018B
1 1/2" x 14"	DCFS1514W	DCFS1514B
1 1/2" x 18"	DCFS1518W	DCFS1518B
2" x 18"	DCFS2018W	DCFS2018B



## Velcro - Velcro USA

- 25 Yard Rolls

Type	Color	Product No.		
		1"	1 1/2"	2"
Hook	White	190528	190636	190749
Hook	Beige	190543	190642	190762
Hook	Black	190562	190650	190773
Loop	White	190388	190592	190660
Loop	Beige	190408	190598	190676
Loop	Black	190431	190607	190690



## Velcro with Rubber Based Adhesive

- 25 Yard Rolls

Type	Color	Product No.		
		1"	1 1/2"	2"
Hook	White	185197	186661	185198
Hook	Beige	187230	187232	186310
Hook	Black	191051	191166	191245
Loop	White	185231	186839	186638
Loop	Beige	187229	187231	188498
Loop	Black	190984	191140	191195

## Velwrap C-Fold Loop

Color	Product No.		
	1"	1 1/2"	2"
White	257493	257495	257497
Beige	—	257494	257496



## Fillauer - Vinyl-Reinforced Velcro Straps

- Prefabricated straps for finishing orthoses and prostheses
- Straps can be trimmed to size while still maintaining a neat finished end by cutting along the welded bars

Size (Width x Length)	Length of Hook	Length of Loop	Product No.	
			White	Beige
1" x 10"	4"	6"	213550	213600
1" x 14 1/2"	5 1/2"	9"	213552	213608
1 1/2" x 18"	4"	14"	213554	213616
1 1/2" x 26"	6"	20"	213556	213624
1 1/2" x 29"	8"	23"	213558	213632
2" x 18"	5"	13"	213559	213636
2" x 26"	6"	20"	213560	213640
2" x 34"	8"	26"	213562	213648